

Chattahoochee County Community Health Assessment

Note:

Rates that have less than 5 events have been indicated with an *

Stratified rates by sex and/or race are not presented when total number of events are less than 20.


Line charts with any missing data from 2016-2020 when stratified by sex and/or race are not presented.

Highlighting 10% differences has been adapted by the 10% rule for considering confounding variables in multivariate logistic regression. Whereas a 10% difference between the crude and adjusted rate, presents the possibility of confounding. In this situation, sex and/or race is being evaluated as potential confounding variables of interest.

Population Characteristics (2020)

Chattahoochee County

- Total Population: 10,551
- Ethnicity:
 - White- 70.1 % Black- 19.4 %
 - Hispanic or Latino- 8.7 %
- Sex:
 - Male- 64.6 % Female- 35.4 %
- Communities:
 - Cusetta



Chattahoochee County Population Estimates by Age and Sex (2020)

| Age Distribution | Population | Male | Female |
|------------------|------------|-------|--------|
| < 1 | 189 | 102 | 87 |
| 1-4 | 684 | 351 | 333 |
| 5-9 | 736 | 368 | 368 |
| 10-14 | 556 | 279 | 277 |
| 15-17 | 256 | 152 | 104 |
| 18-19 | 544 | 500 | 44 |
| 20-24 | 2,240 | 1,876 | 364 |
| 25-29 | 1,712 | 1,180 | 532 |
| 30-34 | 1,047 | 645 | 402 |
| 35-39 | 735 | 417 | 318 |
| 40-44 | 423 | 260 | 163 |
| 45-49 | 235 | 118 | 117 |
| 50-54 | 250 | 118 | 132 |
| 55-59 | 218 | 119 | 99 |
| 60-64 | 206 | 100 | 106 |
| 65-69 | 144 | 72 | 72 |
| 70-74 | 133 | 53 | 80 |
| 75-79 | 95 | 39 | 56 |
| 80-84 | 83 | 45 | 38 |
| 85+ | 65 | 22 | 43 |

- Total Population 10,551
 - Male 6,816
 - Female 3,735
- Infants < 1- 1.8 %
- Pre-School Aged (1-4)- 6.5 %
- Elementary & Middle School Aged (5-12)- 10.6 %
- High School Aged (13-19)- 9.3 %
- Work Force Aged (20-64)- 67.0 %
- Older Adults (65-74)- 2.6 %
- Adults 75 Plus- 2.3 %

28.2 % population- School Aged or Younger

67.0 % population- Work Force Aged

4.9 % population- Older Adults

Percent of Population 2020 by Age Total White or Black-African American

Georgia







Chattahoochee County, GA

Number of Population by Age, Total, White and Black or African-American

Number of Population by Age, Total, White and Black or African-American

Georgia, 2020

Chattahoochee County, GA, 2020



2022 County Health Rankings, Chattahoochee County

| County Health Rankings | Ranking (of 159) |
|-------------------------------|-------------------------|
| Health Outcomes | 39 |
| Length of Life | 52 |
| Quality of Life | 19 |
| Health Factors | 36 |
| Health Behaviors | 100 |
| Clinical Care | 15 |
| Social and Economic Factors | 21 |
| Physical factors | 38 |

2022 Health Outcomes

| | U.S. | Georgia | Chattahoochee County |
|---------------------------|-------|---------|----------------------|
| Mortality | | | |
| Premature Death | 7,300 | 8,000 | 9,200 |
| Morbidity | | | |
| Poor or Fair Health | 17 % | 19 % | 22 % |
| Poor Physical Health Days | 3.9 | 4.1 | 4.7 |
| Poor Mental Health Days | 4.5 | 4.8 | 5.1 |

2022 Health Behaviors

| Health Behaviors | U.S. | Georgia | Chattahoochee County |
|----------------------------------|------|---------|----------------------|
| Adult Obesity | 32 % | 33 % | 37 % |
| Physical Inactivity | 36 % | 27 % | 33 % |
| Adult Smoking | 16 % | 17 % | 20 % |
| Excessive Drinking | 20 % | 18 % | 18 % |
| Alcohol-impaired Driving Deaths | 27 % | 21 % | 33 % |
| Environment | | | |
| Food Environment Index | 7.8 | 6.3 | 3.6 |
| Access to Exercise Opportunities | 80 % | 70 % | 53 % |

2022 Health Care Availability

| | U.S. | Georgia | Chattahoochee County |
|--|---------|---------|----------------------|
| Percent Uninsured | 11 % | 16 % | 11 % |
| Ratio of Population to Provider | | | |
| Primary Care Physicians | 1,310:1 | 1,490:1 | 1,360:1 |
| Mental Health Providers | 350:1 | 630:1 | Not shown |
| Dentists | 1,400:1 | 1,920:1 | 130:1 |

2016-2020 Socioeconomic Factors

| | U.S. | Georgia | Chattahoochee County |
|------------------------------------|----------|----------|----------------------|
| Percent Under Poverty Level | | | |
| All Ages | 12.8 % | 14.3 % | 18.1 % |
| Under 18 Years | 17.5 % | 20.1 % | 23.6 % |
| Under 5 years | 19.1 % | 22.2 % | 27.4 % |
| 65 Years or Older | 9.3 % | 10.1 % | 3.5 % |
| Median Household Income | \$64,994 | \$61,224 | \$45,700 |
| Unemployment Rate | 3.7% | 3.4% | 3.0 % |
| Education Attainment | | | |
| Less than High School | 11.6 % | 13.1 % | 5.8 % |
| High School or Equivalent | 26.7 % | 27.5 % | 30.9 % |
| Some College / Associates' | 28.8 % | 27.7 % | 36.3 % |
| Bachelor's Degree or Higher | 32.9 % | 32.2 % | 27.0 % |

2016-2020 Physical Environment

| | U.S. | Georgia | Chattahoochee County |
|---|-------|---------|----------------------|
| Environment | | | |
| Air Pollution(Average daily density of particulate matter in micrograms per cubic meter, PM2.5) | 7.5 | 8.6 | 9.1 |
| Housing | | | |
| Percent w/ Severe Housing Problems | 17 % | 16 % | 19 % |
| Total Percent of Mobile Homes/ other kind of housing | 5.5 % | 7.9 % | 21.2 % |
| Percent of Households/ 0 Vehicles Available | 4.2 % | 3.0 % | 1.3 % |

2016-2020 Employment


| Industry | Percent |
|--|---------|
| Agriculture, forestry, fishing and hunting, and mining | 3.3 % |
| Construction | 4.6 % |
| Manufacturing | 5.2 % |
| Wholesale trade | 0.7 % |
| Retail trade | 14.4 % |
| Transportation and warehousing, and utilities | 2.6 % |
| Information | 0.0 % |
| Finance and insurance, and real estate and rental and leasing | 5.6 % |
| Professional, scientific, and management, and administrative and waste management services | 4.4 % |
| Education services, and health care and social assistance | 24.7 % |
| Arts, entertainment, and recreation, and accommodation and food services | 15.5 % |
| Other services, except public administration | 1.5 % |
| Public administration | 17.4 % |

Mortality

| Leading Causes of Premature Deaths: Years of Potential Life Lost, 2016-2020 (rate per 100,000) | | |
|---|---|---|
| Georgia | West Central Health District | Chattahoochee County |
| Cancer (1,351.7) | Cancer (1,671.1) | Suicide (1,100.2) |
| Unintentional Injury (1,199.8) | Heart Disease (1,441.1) | Cancer (769.8) |
| Heart Disease (833.7) | Unintentional Injury (1,247) | Unintentional Injury (696.1) |
| COVID-19* (555.6) | COVID-19* (818.9) | Diabetes (305.4) |
| Suicide (444.9) | Homicide (647.4) | Heart Disease (252.8) |
| Homicide (358.6) | Perinatal Period Conditions (513.3) | Chronic Lower Respiratory Diseases (167.6) |
| Perinatal Period Conditions (342.9) | Suicide (441.0) | Digestive System Diseases (151.3) |
| Chronic Lower Respiratory Disease (220.3) | Diabetes (304.8) | Stroke (123.5) |
| Diabetes (218.0) | Stroke (286.0) | Reproductive and Urinary System Diseases (76.6) |
| Stroke (217.0) | Chronic Lower Respiratory Disease (254.1) | Pneumonia (55.5) |

*2020 data only


Leading Causes of Premature Mortality, Chattahoochee County, 2016-2020



| Leading Causes of Death, Age Adjusted, 2016-2020, (Rate per 100,000) | | |
|---|--|--|
| Georgia | West Central Health District | Chattahoochee County |
| Cancer (152.8) | Cancer (169.5) | Cancer (157.3) |
| Heart Disease (107.6) | Heart Disease (156.0) | Heart Disease (72.3) |
| COVID-19 (81.6) * | COVID-19 (98.0) * | Diabetes (41.9) |
| Alzheimer's Disease (45.0) | Unintentional Injury (51.5) | Unintentional Injury (41.8) |
| Unintentional Injury (44.9) | Lower Respiratory Disease (48.5) | Stroke (41.6) |
| Lower Respiratory Disease (44.4) | Stroke (46.3) | Mental and Behavioral Disorders (35.3) |
| Stroke (43.1) | Alzheimer's Disease (42.6) | Alzheimer's Disease (30.9) |
| Mental and Behavioral Disorders (28.6) | Digestive System Diseases (31.4) | Digestive System Diseases (30.7) |
| Digestive System Disease (27.6) | Diabetes (30.2) | Pneumonia (28.1) |
| Diabetes (21.8) | Mental and Behavioral Disorders (28.6) | Suicide (21.5) |

*2020 data only

Leading Causes of Mortality, Chattahoochee County, 2016-2020



Leading Causes of Mortality by Sex and Race, Chattahoochee County, 2016-2020

| Top Ten* County Causes of Mortality for Chattahoochee County, 2016-2020 | | | | | | |
|---|--------------|-----------|------------------------------|-----------|----------------------|-----------|
| | Georgia | | West Central Health District | | Chattahoochee County | |
| | Age Adjusted | YPLL rate | Age Adjusted | YPLL Rate | Age Adjusted | YPLL Rate |
| Cancer | 152.8 | 1,351.7 | 169.5 | 1,671.1 | 157.3 | 769.8 |
| Heart Disease | 107.6 | 833.7 | 156.0 | 1,441.1 | 72.3 | 252.8 |
| Diabetes | 21.8 | 218.0 | 30.2 | 304.8 | 41.9 | 305.4 |
| Unintentional Injury | 44.9 | 1,199.8 | 51.5 | 1,247.0 | 41.8 | 696.1 |
| Stroke | 43.1 | 217.0 | 46.3 | 286.0 | 41.6 | 123.5 |
| Mental and Behavioral Disorders | 29.0 | 103.3 | 28.6 | 95.4 | 35.3 | 54.6 |
| Alzheimer's Disease | 45.0 | 20.5 | 42.6 | 23.8 | 30.9 | 0.0 |
| Digestive System Diseases | 27.6 | 335.8 | 31.4 | 407.7 | 30.7 | 151.3 |
| Pneumonia | 12.4 | 76.1 | 17.6 | 135.0 | 28.1 | 55.5 |
| Suicide | 13.9 | 444.9 | 14.2 | 441.0 | 21.5 | 1,100.2 |

*According to Age-Adjusted Mortality Rate

**2020 data only

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Leading Causes of Mortality by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of Deaths | Georgia | | WCHD | | Chattahoochee County | |
|------------------------|-------------------------|-----------------------------------|-------------------------|-----------------------------------|-------------------------|-----------------------------------|
| | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate |
| Cancer | 156.6 | 1,419.3 | 173.1 | 1,744.5 | 165.3 | 828.9 |
| | Male | Male | Male | Male | Male | Male |
| | 190.7 | 1,505.5 | 210.6 | 1,803.8 | 181.4 | 689.4 |
| | Female | Female | Female | Female | Female | Female |
| | 132.0 | 1,336.2 | 146.0 | 1,684.1 | 149.2 | 1,100.5 |
| | White | White | White | White | White | White |
| | 152.4 | 1,412.8 | 167.0 | 1,678.3 | 197.3 | 729.6 |
| | Male | Male | Male | Male | Male | Male |
| | 184.3 | 1,528.6 | 203.2 | 1,740.0 | 216.7 | 566.0 |
| | Female | Female | Female | Female | Female | Female |
| | 128.1 | 1,296.2 | 138.9 | 1,611.4 | 179.5 | 1,072.6 |
| | Black | Black | Black | Black | Black | Black |
| 166.3 | 1,431.1 | 180.2 | 1,817.3 | 107.2 | 1,187.3 | |
| Male | Male | Male | Male | Male | Male | |
| 211.0 | 1,461.0 | 219.8 | 1,879.1 | * | * | |
| Female | Female | Female | Female | Female | Female | |
| 139.7 | 1,404.4 | 154.3 | 1,758.9 | * | * | |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Rates that have less than 5 events have been indicated with an *

Leading Causes of Mortality by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of Deaths | Georgia | | WCHD | | Chattahoochee County | |
|------------------------|-------------------------|-----------------------------------|-------------------------|-----------------------------------|-------------------------|-----------------------------------|
| | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate |
| Heart Disease | 95.5 | 765.8 | 137.0 | 1,345.7 | 73.0 | 277.7 |
| | Male | Male | Male | Male | Male | Male |
| | 130.0 | 1,076.0 | 183.5 | 1,800.9 | 104.2 | 357.6 |
| | Female | Female | Female | Female | Female | Female |
| | 68.5 | 466.5 | 99.7 | 883.0 | * | * |
| | White | White | White | White | White | White |
| | 91.6 | 715.6 | 124.9 | 1,101.3 | 65.0 | 202.4 |
| | Male | Male | Male | Male | Male | Male |
| | 124.8 | 1,014.4 | 165.4 | 1,456.7 | 97.0 | 220.8 |
| | Female | Female | Female | Female | Female | Female |
| | 64.3 | 414.6 | 90.7 | 715.5 | * | * |
| | Black | Black | Black | Black | Black | Black |
| 103.9 | 856.4 | 151.0 | 1,615.0 | 84.8 | 549.5 | |
| Male | Male | Male | Male | Male | Male | |
| 141.1 | 1,194.1 | 207.2 | 2,207.1 | * | * | |
| Female | Female | Female | Female | Female | Female | |
| 77.9 | 554.8 | 109.6 | 1,055.1 | * | * | |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Leading Causes of Mortality by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of Deaths | Georgia | | WCHD | | Chattahoochee County | |
|------------------------|-------------------------|-----------------------------------|-------------------------|-----------------------------------|-------------------------|-----------------------------------|
| | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate |
| Diabetes | 22.3 | 231.3 | 31.0 | 319.8 | 45.2 | 339.4 |
| | Male 27.1 | Male 276.6 | Male 35.8 | Male 346.1 | Male * | Male * |
| | Female 18.4 | Female 187.5 | Female 27.1 | Female 293.0 | Female 64.6 | Female 438.9 |
| | White 17.2 | White 176.8 | White 24.0 | White 255.9 | White * | White * |
| | Male 21.7 | Male 215.6 | Male 29.1 | Male 265.1 | Male * | Male * |
| | Female 13.4 | Female 137.7 | Female 19.7 | Female 245.8 | Female * | Female * |
| | Black 36.7 | Black 329.6 | Black 42.2 | Black 390.2 | Black 95.5 | Black 873.3 |
| | Male 44.1 | Male 393.7 | Male 46.4 | Male 441.6 | Male * | Male * |
| | Female 31.6 | Female 272.3 | Female 38.5 | Female 341.6 | Female 151.8 | Female 1,366.7 |


Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia
 Rates that have less than 5 events have been indicated with an *

Leading Causes of Mortality by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of Deaths | Georgia | | WCHD | | Chattahoochee County | |
|-----------------------------|-------------------------|-----------------------------------|-------------------------|-----------------------------------|-------------------------|-----------------------------------|
| | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate |
| Unintentional Injury | 47.0 | 1,268.1 | 53.2 | 1,295.9 | 45.6 | 773.6 |
| | Male | Male | Male | Male | Male | Male |
| | 65.0 | 1,798.1 | 69.4 | 1,784.4 | 45.8 | 873.0 |
| | Female | Female | Female | Female | Female | Female |
| | 30.7 | 758.6 | 37.3 | 799.3 | 45.0 | 580.0 |
| | White | White | White | White | White | White |
| | 50.2 | 1,323.2 | 59.2 | 1,337.3 | 42.8 | 599.2 |
| | Male | Male | Male | Male | Male | Male |
| | 66.6 | 1,818.5 | 71.0 | 1,752.5 | 45.0 | 672.3 |
| | Female | Female | Female | Female | Female | Female |
| | 34.5 | 824.4 | 45.9 | 886.6 | * | * |
| | Black | Black | Black | Black | Black | Black |
| 39.6 | 1,171.5 | 43.3 | 1,250.3 | 52.4 | 1,403.2 | |
| Male | Male | Male | Male | Male | Male | |
| 65.0 | 1,759.0 | 64.5 | 1,822.0 | * | * | |
| Female | Female | Female | Female | Female | Female | |
| 30.7 | 646.7 | 24.7 | 709.7 | * | * | |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Number of Deaths by Type of Unintentional Injury, Chattahoochee County, 2016-2020



Leading Causes of Mortality by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of Deaths | Georgia | | WCHD | | Chattahoochee County | |
|------------------------|-------------------------|-----------------------------------|-------------------------|-----------------------------------|-------------------------|-----------------------------------|
| | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate |
| Stroke | 43.9 | 227.6 | 46.9 | 292.5 | 46.1 | 137.3 |
| | Male | Male | Male | Male | Male | Male |
| | 45.4 | 266.2 | 49.6 | 349.9 | * | * |
| | Female | Female | Female | Female | Female | Female |
| | 42.0 | 190.3 | 43.8 | 234.2 | 61.8 | 388.8 |
| | White | White | White | White | White | White |
| | 40.4 | 182.7 | 37.6 | 186.9 | * | 0.0 |
| | Male | Male | Male | Male | Male | Male |
| | 40.8 | 209.5 | 37.7 | 207.1 | 0.0 | * |
| | Female | Female | Female | Female | Female | Female |
| | 39.3 | 155.7 | 36.7 | 165.0 | * | * |
| | Black | Black | Black | Black | Black | Black |
| 52.9 | 308.4 | 61.2 | 408.9 | 67.7 | 127.6 | |
| Male | Male | Male | Male | Male | Male | |
| 45.4 | 374.9 | 69.4 | 518.4 | * | * | |
| Female | Female | Female | Female | Female | Female | |
| 42.0 | 249.1 | 54.0 | 305.4 | * | * | |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Rates that have less than 5 events have been indicated with an *

Leading Causes of Mortality by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of Deaths | Georgia | | WCHD | | Chattahoochee County | |
|--|-------------------------|-----------------------------------|-------------------------|-----------------------------------|-------------------------|-----------------------------------|
| | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate |
| Mental and Behavioral Disorders | 29.9 | 110.3 | 29.1 | 100.8 | 38.2 | 60.6 |
| | Male | Male | Male | Male | Male | Male |
| | 29.0 | 152.8 | 28.3 | 127.5 | * | * |
| | Female | Female | Female | Female | Female | Female |
| | 29.5 | 69.2 | 28.7 | 73.5 | * | * |
| | White | White | White | White | White | White |
| | 29.2 | 116.3 | 29.6 | 108.2 | 52.4 | 77.4 |
| | Male | Male | Male | Male | Male | Male |
| | 27.5 | 156.1 | 26.6 | 113.9 | * | * |
| | Female | Female | Female | Female | Female | Female |
| | 29.4 | 76.2 | 31.1 | 102.0 | * | * |
| | Black | Black | Black | Black | Black | Black |
| 32.4 | 99.4 | 27.9 | 92.5 | * | * | |
| Male | Male | Male | Male | Male | Male | |
| 34.8 | 146.6 | 31.0 | 143.6 | * | * | |
| Female | Female | Female | Female | Female | Female | |
| 29.9 | 57.3 | 25.0 | 44.2 | 0.0 | 0.0 | |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Leading Causes of Mortality by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of Deaths | Georgia | | WCHD | | Chattahoochee County | |
|----------------------------|-------------------------|-----------------------------------|-------------------------|-----------------------------------|-------------------------|-----------------------------------|
| | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate |
| Alzheimer's Disease | 46.0 | 22.0 | 43.6 | 25.1 | 33.8 | 0.0 |
| | Male 34.9 | Male 17.8 | Male 32.6 | Male 21.7 | Male * | Male * |
| | Female 52.4 | Female 26.1 | Female 49.3 | Female 28.6 | Female * | Female * |
| | White 47.3 | White 24.6 | White 46.2 | White 30.9 | White 47.7 | White 0.0 |
| | Male 35.6 | Male 19.8 | Male 34.8 | Male 23.3 | Male * | Male * |
| | Female 54.6 | Female 29.4 | Female 52.6 | Female 39.2 | Female * | Female * |
| | Black 41.2 | Black 17.3 | Black 38.4 | Black 18.7 | Black * | Black * |
| | Male 31.7 | Male 14.0 | Male 27.2 | Male 19.7 | Male 0.0 | Male * |
| | Female 45.4 | Female 20.3 | Female 43.2 | Female 17.8 | Female * | Female * |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Leading Causes of Mortality by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of Deaths | Georgia | | WCHD | | Chattahoochee County | |
|----------------------------------|-------------------------|-----------------------------------|-------------------------|-----------------------------------|-------------------------|-----------------------------------|
| | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate |
| Digestive System Diseases | 28.5 | 355.2 | 32.0 | 427.4 | 33.9 | 168.1 |
| | Male | Male | Male | Male | Male | Male |
| | 33.7 | 432.9 | 37.2 | 498.6 | * | * |
| | Female | Female | Female | Female | Female | Female |
| | 24.1 | 280.3 | 27.6 | 355.0 | * | * |
| | White | White | White | White | White | White |
| | 30.4 | 405.4 | 32.8 | 446.6 | 53.4 | 214.7 |
| | Male | Male | Male | Male | Male | Male |
| | 35.3 | 492.1 | 36.4 | 498.6 | * | * |
| | Female | Female | Female | Female | Female | Female |
| | 25.8 | 318.0 | 29.6 | 390.1 | * | * |
| | Black | Black | Black | Black | Black | Black |
| 24.0 | 264.8 | 30.8 | 406.1 | 0.0 | 0.0 | |
| Male | Male | Male | Male | Male | Male | |
| 29.3 | 319.4 | 37.8 | 498.7 | 0.0 | 0.0 | |
| Female | Female | Female | Female | Female | Female | |
| 20.0 | 216.1 | 24.9 | 318.9 | 0.0 | 0.0 | |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Leading Causes of Mortality by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of Deaths | Georgia | | WCHD | | Chattahoochee County | |
|------------------------|-------------------------|-----------------------------------|-------------------------|-----------------------------------|-------------------------|-----------------------------------|
| | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate |
| Pneumonia | 12.7 | 80.6 | 18.0 | 142.6 | 30.0 | 61.7 |
| | Male 15.0 | Male 91.3 | Male 22.1 | Male 185.0 | Male * | Male * |
| | Female 11.1 | Female 70.3 | Female 14.4 | Female 99.4 | Female * | Female * |
| | White 12.6 | White 76.1 | White 15.7 | White 107.5 | White 39.0 | White 50.3 |
| | Male 14.4 | Male 82.3 | Male 17.6 | Male 116.5 | Male * | Male * |
| | Female 11.3 | Female 69.8 | Female 13.9 | Female 97.8 | Female * | Female * |
| | Black 12.5 | Black 88.8 | Black 21.3 | Black 181.1 | Black * | Black * |
| | Male 16.5 | Male 108.4 | Male 29.1 | Male 265.9 | Male * | Male * |
| | Female 10.1 | Female 71.2 | Female 15.3 | Female 101.0 | Female 0.0 | Female 0.0 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Leading Causes of Mortality by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of Deaths | Georgia | | WCHD | | Chattahoochee County | |
|------------------------|-------------------------|-----------------------------------|-------------------------|-----------------------------------|-------------------------|-----------------------------------|
| | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate |
| Suicide | 14.5 | 463.7 | 14.5 | 446.4 | 22.6 | 1,115.1 |
| | Male | Male | Male | Male | Male | Male |
| | 23.8 | 736.8 | 24.7 | 730.4 | 37.3 | 1,509.2 |
| | Female | Female | Female | Female | Female | Female |
| | 6.1 | 200.2 | 5.0 | 157.6 | * | * |
| | White | White | White | White | White | White |
| | 18.1 | 553.9 | 21.4 | 638.0 | 28.8 | 1,313.9 |
| | Male | Male | Male | Male | Male | Male |
| | 28.5 | 850.2 | 34.8 | 997.0 | 47.5 | 1,718.0 |
| | Female | Female | Female | Female | Female | Female |
| | 8.1 | 255.4 | 8.0 | 248.3 | * | * |
| | Black | Black | Black | Black | Black | Black |
| 7.3 | 301.1 | 6.2 | 235.2 | 37.3 | * | |
| Male | Male | Male | Male | Male | Male | |
| 12.8 | 519.3 | 10.9 | 415.8 | * | * | |
| Female | Female | Female | Female | Female | Female | |
| 2.6 | 106.3 | 2.0 | 64.3 | 0.0 | 0.0 | |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Age-Adjusted Cancer Mortality by Type, 2016-2020


| Type of Cancer | Georgia | WCHD | Chattahoochee |
|----------------|---------|------|---------------|
| Lung Cancer | 37.1 | 44.7 | 36.6 |
| Colon Cancer | 14.3 | 15.9 | 26.5 |

Morbidity

| Age-Adjusted Deduplicated Discharge Rate by Health Issue, 2016-2020 (rate per 100,000) | | |
|---|---|---|
| Georgia | West Central Health District | Chattahoochee County |
| Digestive System Diseases (630.5) | Digestive System Diseases (658.3) | Digestive System Diseases (453.1) |
| Blood Poisoning (490.8) | Blood Poisoning (410.4) | Bone and Muscle Diseases (308.6) |
| Mental and Behavioral Disorders (393.7) | Heart Disease (404.4) | Heart Disease (304.5) |
| Bone and Muscle Diseases (388.1) | Mental and Behavioral Disorders (403.3) | Unintentional Injury (293.6) |
| Heart Disease (375.9) | Unintentional Injury (380.0) | Cancer (250.0) |
| Unintentional Injury (366.7) | Bone and Muscle Disease (374.1) | Blood Poisoning (235.9) |
| COVID-19* (284.7) | COVID-19* (298.8) | Mental and Behavioral Disorders (232.0) |
| Flu and Pneumonia (206.4) | Flu and Pneumonia (230.3) | COVID-19* (220.0) |
| Stroke (190.9) | Cancer (195.1) | Stroke (196.4) |
| Cancer (187.8) | Diabetes (178.5) | Chronic Lower Respiratory Disease (141.3) |

*2020 data only


Leading Causes of Hospital Utilization, Chattahoochee County, 2016-2020



| Hospital Deduplicated Discharge by Health Issue, 2016-2020 (rate per 100,000) | | |
|--|---|--|
| Georgia | West Central Health District | Chattahoochee County |
| Digestive System Diseases (663.7) | Digestive System Disorders (718.3) | Digestive System Diseases (241.5) |
| Blood Poisoning (518.9) | Heart Disease (466.6) | Mental and Behavioral Disorders (189.1) |
| Bone and Muscle Diseases (431.6) | Blood Poisoning (463.8) | Unintentional Injury (177.9) |
| Heart disease (411.9) | Bone and Muscle Diseases (433.8) | Bone and Muscle Diseases (162.9) |
| Mental and Behavioral Disorders (397.2) | Unintentional Injury (414.4) | Heart Disease (127.3) |
| Unintentional Injury (373.8) | Mental and Behavioral Disorders (403.2) | Blood Poisoning (112.3) |
| COVID-19* (309.5) | COVID-19* (339.8) | Cancer (110.5) |
| Flu and Pneumonia (213.9) | Stroke (272.7) | COVID-19* (85.3) |
| Cancer (210.0) | Flu and Pneumonia (255.4) | Stroke (84.3) |
| Stroke (206.2) | Cancer (231.0) | Flu and Pneumonia (65.5) Chronic Lower Respiratory Disease (65.5) |

*2020 data only

Leading Causes of Hospital Utilization, Chattahoochee County, 2016-2020



Top Ten* County Causes of Hospital Utilization for Chattahoochee County, 2016-2020

| | Georgia | | West Central Health District | | Chattahoochee County | |
|--|--|--------------------------------|--|--------------------------------|--|--------------------------------|
| | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate |
| Digestive System Diseases | 630.5 | 663.7 | 658.3 | 718.3 | 453.1 | 241.5 |
| Mental and Behavioral Disorders | 393.7 | 397.2 | 403.3 | 403.2 | 232.0 | 189.1 |
| Unintentional Injury | 366.7 | 373.8 | 380.0 | 414.4 | 293.6 | 177.9 |
| Bone and Muscle Diseases | 388.1 | 431.6 | 374.1 | 433.8 | 308.6 | 162.9 |
| Blood Poisoning | 490.8 | 518.9 | 410.4 | 463.8 | 253.9 | 129.2 |
| Heart Disease | 375.9 | 411.9 | 404.4 | 466.6 | 304.5 | 127.3 |
| Cancer | 187.8 | 210.0 | 195.1 | 231.0 | 250.0 | 110.5 |
| COVID-19** | 284.7 | 309.5 | 298.8 | 339.8 | 222.2 | 85.3 |
| Stroke | 190.9 | 206.2 | 234.7 | 272.7 | 196.4 | 84.3 |
| Flu and Pneumonia | 206.4 | 213.9 | 230.3 | 255.4 | 119.1 | 65.5 |
| Chronic Lower Respiratory Disease | 172.4 | 187.5 | 175.8 | 200.3 | 141.3 | 65.5 |

*According to Deduplicated Discharge Rate

**2020 data only

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Leading Causes of Morbidity by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of Hospital Discharge | Georgia | | WCHD | | Chattahoochee County | |
|------------------------------------|--|-----------------------------|--|-----------------------------|--|-----------------------------|
| | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate |
| Digestive System Diseases | 626.4 | 671.5 | 654.8 | 726.4 | 476.1 | 249.5 |
| | Male | Male | Male | Male | Male | Male |
| | 625.3 | 638.4 | 648.9 | 675.2 | 484.6 | 193.1 |
| | Female | Female | Female | Female | Female | Female |
| | 627.8 | 702.8 | 662.9 | 776.8 | 502.8 | 357.3 |
| | White | White | White | White | White | White |
| | 594.6 | 682.9 | 599.2 | 718.8 | 386.3 | 186.6 |
| | Male | Male | Male | Male | Male | Male |
| | 589.6 | 646.6 | 589.0 | 661.5 | 401.2 | 138.5 |
| | Female | Female | Female | Female | Female | Female |
| | 600.6 | 718.7 | 615.4 | 778.9 | 401.8 | 286.2 |
| | Black | Black | Black | Black | Black | Black |
| 699.0 | 650.2 | 730.1 | 735.0 | 681.1 | 472.0 | |
| Male | Male | Male | Male | Male | Male | |
| 712.6 | 622.3 | 733.1 | 692.0 | 687.4 | 411.9 | |
| Female | Female | Female | Female | Female | Female | |
| 686.9 | 674.7 | 725.5 | 774.6 | 708.3 | 560.6 | |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Leading Causes of Morbidity by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of Hospital Discharge | Georgia | | WCHD | | Chattahoochee County | |
|--|--|-----------------------------|--|-----------------------------|--|-----------------------------|
| | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate |
| Mental and Behavioral Disorders | 397.5 | 402.1 | 405.9 | 406.8 | 229.8 | 185.0 |
| | Male 407.0 | Male 413.4 | Male 403.5 | Male 410.0 | Male 192.1 | Male 120.3 |
| | Female 390.3 | Female 391.4 | Female 414.3 | Female 403.6 | Female 317.0 | Female 308.9 |
| | White 378.2 | White 381.0 | White 374.4 | White 372.8 | White 226.9 | White 170.6 |
| | Male 367.6 | Male 374.1 | Male 346.2 | Male 352.4 | Male 196.3 | Male 106.8 |
| | Female 389.8 | Female 387.8 | Female 413.0 | Female 394.1 | Female 313.7 | Female 302.5 |
| | Black 434.2 | Black 441.4 | Black 441.6 | Black 445.6 | Black 252.7 | Black 236.0 |
| | Male 489.6 | Male 491.2 | Male 474.6 | Male 480.0 | Male 186.9 | Male 174.3 |
| | Female 391.3 | Female 397.6 | Female 417.2 | Female 413.9 | Female 344.5 | Female 327.0 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Leading Causes of Morbidity by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of Hospital Discharge | Georgia | | WCHD | | Chattahoochee County | |
|------------------------------------|--|-----------------------------|--|-----------------------------|--|-----------------------------|
| | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate |
| Unintentional Injury | 363.7 | 378.5 | 380.5 | 421.4 | 311.2 | 187.1 |
| | Male 377.7 | Male 368.7 | Male 396.2 | Male 400.5 | Male 295.6 | Male 177.3 |
| | Female 339.8 | Female 387.7 | Female 349.4 | Female 441.9 | Female 300.4 | Female 205.9 |
| | White 370.6 | White 425.1 | White 428.3 | White 535.9 | White 334.6 | White 176.0 |
| | Male 355.1 | Male 371.0 | Male 403.6 | Male 442.2 | Male 328.9 | Male 166.2 |
| | Female 371.8 | Female 478.4 | Female 429.3 | Female 634.0 | Female 321.4 | Female 196.2 |
| | Black 313.0 | Black 291.4 | Black 293.1 | Black 290.6 | Black 270.7 | Black 226.6 |
| | Male 398.9 | Male 364.0 | Male 366.6 | Male 349.7 | Male 260.0 | Male 221.8 |
| | Female 238.0 | Female 227.7 | Female 224.6 | Female 236.1 | Female 244.3 | Female 233.6 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Leading Causes of Morbidity by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of Hospital Discharge | Georgia | | WCHD | | Chattahoochee County | |
|------------------------------------|--|-----------------------------|--|-----------------------------|--|-----------------------------|
| | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate |
| Bone and Muscle Diseases | 394.0 | 448.1 | 376.9 | 444.4 | 316.4 | 170.5 |
| | Male 377.5 | Male 405.9 | Male 363.2 | Male 399.2 | Male 330.6 | Male 139.3 |
| | Female 407.1 | Female 488.1 | Female 387.7 | Female 489.0 | Female 313.6 | Female 230.1 |
| | White 401.8 | White 500.5 | White 384.5 | White 495.4 | White 360.4 | White 170.6 |
| | Male 386.2 | Male 455.8 | Male 380.9 | Male 453.6 | Male 382.2 | Male 142.4 |
| | Female 414.8 | Female 544.5 | Female 386.0 | Female 539.3 | Female 351.5 | Female 228.9 |
| | Black 360.5 | Black 350.5 | Black 359.0 | Black 386.2 | Black 232.9 | Black 169.9 |
| | Male 335.7 | Male 307.2 | Male 328.3 | Male 333.1 | Male 225.9 | Male 126.7 |
| | Female 377.3 | Female 388.4 | Female 382.3 | Female 435.2 | Female 243.7 | Female 233.6 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Leading Causes of Morbidity by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of Hospital Discharge | Georgia | | WCHD | | Chattahoochee County | |
|------------------------------------|--|-----------------------------|--|-----------------------------|--|-----------------------------|
| | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate |
| Blood Poisoning | 491.7 | 531.6 | 413.2 | 475.5 | 251.1 | 122.7 |
| | Male | Male | Male | Male | Male | Male |
| | 524.6 | 526.3 | 449.2 | 478.7 | 229.8 | 91.8 |
| | Female | Female | Female | Female | Female | Female |
| | 469.4 | 536.5 | 388.8 | 472.3 | 276.3 | 181.7 |
| | White | White | White | White | White | White |
| | 448.4 | 532.0 | 338.2 | 434.2 | 274.2 | 117.3 |
| | Male | Male | Male | Male | Male | Male |
| | 466.8 | 516.0 | 355.7 | 419.6 | 257.6 | 91.0 |
| | Female | Female | Female | Female | Female | Female |
| | 437.9 | 547.7 | 329.7 | 449.4 | 289.5 | 171.7 |
| | Black | Black | Black | Black | Black | Black |
| 584.7 | 530.8 | 513.3 | 522.7 | 212.8 | 141.6 | |
| Male | Male | Male | Male | Male | Male | |
| 670.0 | 546.7 | 588.2 | 550.7 | 155.9 | 95.1 | |
| Female | Female | Female | Female | Female | Female | |
| 529.3 | 516.9 | 460.8 | 496.8 | 274.1 | 210.2 | |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Leading Causes of Morbidity by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of Hospital Discharge | Georgia | | WCHD | | Chattahoochee County | |
|------------------------------------|--|-----------------------------|--|-----------------------------|--|-----------------------------|
| | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate |
| Heart Disease | 378.2 | 424.7 | 404.3 | 475.5 | 303.2 | 128.9 |
| | Male | Male | Male | Male | Male | Male |
| | 481.5 | 509.6 | 504.6 | 549.3 | 454.3 | 139.3 |
| | Female | Female | Female | Female | Female | Female |
| | 289.9 | 344.4 | 316.1 | 402.7 | 171.2 | 109.0 |
| | White | White | White | White | White | White |
| | 346.3 | 432.3 | 347.3 | 465.9 | 313.3 | 106.6 |
| | Male | Male | Male | Male | Male | Male |
| | 455.8 | 536.5 | 455.2 | 558.0 | 492.2 | 122.6 |
| | Female | Female | Female | Female | Female | Female |
| | 247.6 | 329.8 | 246.7 | 369.4 | 145.4 | 73.6 |
| | Black | Black | Black | Black | Black | Black |
| 442.1 | 410.3 | 473.5 | 486.5 | 314.2 | 207.7 | |
| Male | Male | Male | Male | Male | Male | |
| 527.9 | 456.4 | 567.0 | 538.7 | 415.8 | 206.0 | |
| Female | Female | Female | Female | Female | Female | |
| 375.2 | 369.8 | 397.1 | 438.4 | 244.7 | 210.2 | |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Leading Causes of Morbidity by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of Hospital Discharge | Georgia | | WCHD | | Chattahoochee County | |
|------------------------------------|--|-----------------------------|--|-----------------------------|--|-----------------------------|
| | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate |
| Cancer | 185.1 | 212.0 | 195.9 | 236.7 | 265.7 | 120.6 |
| | Male | Male | Male | Male | Male | Male |
| | 205.5 | 223.0 | 219.3 | 247.5 | 293.8 | 98.1 |
| | Female | Female | Female | Female | Female | Female |
| | 169.5 | 201.6 | 178.4 | 226.0 | 250.2 | 163.5 |
| | White | White | White | White | White | White |
| | 171.2 | 213.9 | 170.9 | 227.9 | 241.9 | 90.7 |
| | Male | Male | Male | Male | Male | Male |
| | 192.1 | 229.0 | 199.8 | 246.1 | 314.2 | 83.1 |
| | Female | Female | Female | Female | Female | Female |
| | 154.6 | 199.0 | 147.2 | 208.8 | 181.8 | 106.3 |
| | Black | Black | Black | Black | Black | Black |
| 218.2 | 208.5 | 229.6 | 246.7 | 329.3 | 226.6 | |
| Male | Male | Male | Male | Male | Male | |
| 241.7 | 210.9 | 246.3 | 249.3 | 262.0 | 158.4 | |
| Female | Female | Female | Female | Female | Female | |
| 202.6 | 206.3 | 217.8 | 244.4 | 399.8 | 226.6 | |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Leading Causes of Morbidity by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of Hospital Discharge | Georgia | | WCHD | | Chattahoochee County | |
|------------------------------------|--|-----------------------------|--|-----------------------------|--|-----------------------------|
| | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate |
| COVID-19* | 266.5 | 297.3 | 298.0 | 345.1 | 242.7 | 95.4 |
| | Male 283.7 | Male 297.7 | Male 300.2 | Male 320.9 | Male * | Male * |
| | Female 253.0 | Female 296.9 | Female 302.4 | Female 369.0 | Female 247.8 | Female 150.9 |
| | White 202.4 | White 248.0 | White 180.5 | White 233.0 | White * | White * |
| | Male 227.4 | Male 262.1 | Male 199.7 | Male 237.9 | Male 0.0 | Male 0.0 |
| | Female 180.4 | Female 234.2 | Female 166.3 | Female 227.9 | Female * | Female * |
| | Black 402.9 | Black 387.1 | Black 452.2 | Black 472.8 | Black 538.9 | Black 342.6 |
| | Male 416.5 | Male 366.6 | Male 445.0 | Male 421.6 | Male * | Male * |
| | Female 294.4 | Female 405.1 | Female 465.0 | Female 519.9 | Female * | Female * |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Leading Causes of Morbidity by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of Hospital Discharge | Georgia | | WCHD | | Chattahoochee County | |
|------------------------------------|--|-----------------------------|--|-----------------------------|--|-----------------------------|
| | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate |
| Stroke | 190.1 | 210.9 | 235.0 | 279.0 | 202.0 | 89.4 |
| | Male | Male | Male | Male | Male | Male |
| | 211.6 | 218.6 | 265.6 | 289.9 | 210.4 | 69.6 |
| | Female | Female | Female | Female | Female | Female |
| | 171.6 | 203.7 | 208.1 | 268.3 | 190.2 | 127.2 |
| | White | White | White | White | White | White |
| | 159.1 | 197.1 | 182.1 | 247.9 | 196.5 | 74.7 |
| | Male | Male | Male | Male | Male | Male |
| | 177.7 | 203.4 | 207.0 | 252.6 | 204.0 | 59.3 |
| | Female | Female | Female | Female | Female | Female |
| | 142.5 | 190.8 | 158.0 | 243.1 | 184.6 | 106.3 |
| | Black | Black | Black | Black | Black | Black |
| 261.7 | 236.9 | 303.5 | 314.5 | 209.5 | 141.6 | |
| Male | Male | Male | Male | Male | Male | |
| 296.6 | 248.6 | 350.9 | 335.4 | 220.9 | 110.9 | |
| Female | Female | Female | Female | Female | Female | |
| 234.1 | 226.5 | 266.9 | 295.2 | 195.2 | 186.9 | |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Leading Causes of Morbidity by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of Hospital Discharge | Georgia | | WCHD | | Chattahoochee County | |
|------------------------------------|--|-----------------------------|--|-----------------------------|--|-----------------------------|
| | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate |
| Flu and Pneumonia | 207.5 | 219.6 | 232.3 | 261.6 | 115.9 | 62.4 |
| | Male 214.0 | Male 208.0 | Male 242.1 | Male 246.2 | Male 51.4 | Male 28.5 |
| | Female 203.6 | Female 230.6 | Female 228.2 | Female 276.8 | Female 182.2 | Female 127.2 |
| | White 197.7 | White 231.2 | White 203.9 | White 260.9 | White 122.4 | White 53.3 |
| | Male 200.3 | Male 214.3 | Male 212.4 | Male 241.3 | Male 56.1 | Male 23.7 |
| | Female 197.2 | Female 248.0 | Female 199.7 | Female 281.5 | Female 192.7 | Female 114.5 |
| | Black 218.2 | Black 197.9 | Black 262.5 | Black 262.3 | Black 119.1 | Black 94.4 |
| | Male 235.8 | Male 195.6 | Male 278.7 | Male 252.1 | Male * | Male * |
| | Female 206.9 | Female 199.9 | Female 255.7 | Female 271.7 | Female 189.7 | Female 163.5 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Leading Causes of Morbidity by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of Hospital Discharge | Georgia | | WCHD | | Chattahoochee County | |
|---|--|-----------------------------|--|-----------------------------|--|-----------------------------|
| | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate |
| Chronic Lower Respiratory Diseases | 176.0 | 195.2 | 177.7 | 205.6 | 146.2 | 68.6 |
| | Male | Male | Male | Male | Male | Male |
| | 158.0 | 163.7 | 164.9 | 175.1 | 106.5 | 38.0 |
| | Female | Female | Female | Female | Female | Female |
| | 192.1 | 225.1 | 191.1 | 235.7 | 184.4 | 127.2 |
| | White | White | White | White | White | White |
| | 164.2 | 200.9 | 162.5 | 213.1 | 171.7 | 64.0 |
| | Male | Male | Male | Male | Male | Male |
| | 142.6 | 162.7 | 141.6 | 169.3 | 117.3 | 35.6 |
| | Female | Female | Female | Female | Female | Female |
| | 184.9 | 238.5 | 184.9 | 258.9 | 218.7 | 122.6 |
| | Black | Black | Black | Black | Black | Black |
| 192.9 | 184.6 | 188.8 | 197.1 | 113.7 | 85.0 | |
| Male | Male | Male | Male | Male | Male | |
| 186.0 | 165.7 | 188.9 | 182.1 | * | * | |
| Female | Female | Female | Female | Female | Female | |
| 198.6 | 201.2 | 191.0 | 210.9 | 152.9 | 140.2 | |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia


Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. <http://oasis.state.ga.us/> Rates that have less than 5 events have been indicated with an *

| Emergency Room Visits by Health Issue, Adjusted for Age, 2016-2020 (rate per 100,000) | | |
|--|--|--|
| Georgia | West Central Health District | Chattahoochee County |
| Unintentional Injury (5,846.7) | Unintentional Injury (6,676.3) | Unintentional Injury (3,314.2) |
| Bone and Muscle Diseases (3,096.9) | Bone and Muscle Diseases (3,561.2) | Bone and Muscle Diseases (1,615.9) |
| Digestive System Diseases (2,376.9) | Digestive System Diseases (2,660.6) | Digestive System Diseases (1,089.9) |
| Mental and Behavioral Disorders (1,079.7) | Mental and Behavioral Disorders (1,135.5) | Mental and Behavioral Disorders (441.8) |
| Chronic Lower Respiratory Diseases (891.5) | Chronic Lower Respiratory Diseases (1,123.3) | Heart Disease (438.7) |
| Flu and Pneumonia (718.9) | Flu and Pneumonia (726.6) | Chronic Lower Respiratory Diseases (415.2) |
| COVID-19* (599.1) | Heart Disease (695.1) | Sickle Cell Anemia (360.3) |
| Heart Disease (575.6) | COVID-19* (460.7) | Flu and Pneumonia (345.0) |
| Diabetes (315.1) | Diabetes (435.7) | Diabetes (183.0) |
| Homicide (241.1) | Homicide (416.3) | COVID-19* (155.9) |

*2020 data only


Leading Causes of ER Visits. Chattahoochee County, 2016-2020



| Emergency Room Visits by Health Issues, 2016-2020 (rate per 100,000) | | |
|---|--|--|
| Georgia | West Central Health District | Chattahoochee County |
| Unintentional Injury (5,779.3) | Unintentional Injury (6,572.3) | Unintentional Injury (2,563.3) |
| Bone and Muscle Diseases (3,132.6) | Bone and Muscle Diseases (3,581.6) | Bone and Muscle Diseases (998.0) |
| Digestive System Diseases (2,352.3) | Digestive System Diseases (2,644.1) | Digestive System Diseases (808.9) |
| Mental and Behavioral Disorders (1,074.4) | Mental and Behavioral Disorders (1,176.7) | Mental and Behavioral Disorders (352.0) |
| Chronic Lower Respiratory Diseases (902.4) | Chronic Lower Respiratory Diseases (1,145.9) | Chronic Lower Respiratory Diseases (245.3) |
| Flu and Pneumonia (697.1) | Heart Disease (725.2) | Flu and Pneumonia (241.5) |
| COVID-19* (608.2) | Flu and Pneumonia (710.0) | Heart Disease (207.8) |
| Heart Disease (603.2) | COVID-19* (485.8) | Sickle Cell Anemia (155.4) |
| Diabetes (326.7) | Diabetes (448.6) | Diabetes (110.5) |
| Homicide (236.3) | Homicide (404.7) | Homicide (97.4) |

*2020 data only

Leading Causes of ER Visits, Chattahoochee County, 2016-2020



Top Ten* Causes of Hospital ER Visits for Chattahoochee County, 2016-2020

| | Georgia | | West Central Health District | | Chattahoochee County | |
|---|----------------------------|---------------|------------------------------|---------------|----------------------------|---------------|
| | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate |
| Unintentional Injury | 5,846.7 | 5,779.3 | 6,676.3 | 6,572.3 | 3,314.2 | 2,563.3 |
| Bone and Muscle Diseases | 3,096.9 | 3,132.6 | 3,561.2 | 3,581.6 | 1,615.9 | 998.0 |
| Digestive System Diseases | 2,376.9 | 2,352.3 | 2,660.6 | 2,644.1 | 1,089.9 | 808.9 |
| Mental and Behavioral Disorders | 1,079.7 | 1,074.4 | 1,135.5 | 1,176.7 | 441.8 | 352.0 |
| Chronic Lower Respiratory Diseases | 891.5 | 902.4 | 1,123.3 | 1,145.9 | 415.2 | 245.3 |
| Flu and Pneumonia | 718.9 | 697.1 | 726.6 | 710.0 | 345.0 | 241.5 |
| Heart Disease | 575.6 | 603.2 | 695.1 | 725.2 | 438.7 | 207.8 |
| Sickle Cell Anemia | 139.3 | 133.1 | 286.7 | 271.3 | 360.3 | 155.4 |
| Diabetes | 315.1 | 326.7 | 435.7 | 448.6 | 183.0 | 110.5 |
| Homicide | 241.1 | 236.3 | 416.3 | 404.7 | 113.0 | 97.4 |

*According to Hospital ER Visit Rate

**2020 data only

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia


Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Leading Causes of ER Visits by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of ER Visits | Georgia | | WCHD | | Chattahoochee County | |
|-----------------------------|----------------------------|-------------------|----------------------------|-------------------|----------------------------|-------------------|
| | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate |
| Unintentional Injury | 5,823.4 | 5,756.1 | 6,695.8 | 6,572.8 | 3,537.0 | 2,713.2 |
| | Male 5,810.8 | Male 5,718.4 | Male 6,551.9 | Male 6,407.0 | Male 3,019.1 | Male 2,073.6 |
| | Female 5,792.4 | Female 5,791.7 | Female 6,805.3 | Female 6,736.5 | Female 4,332.4 | Female 3,936.8 |
| | White 5,214.4 | White 5,189.1 | White 5,450.1 | White 5,433.6 | White 3,310.6 | White 2,359.6 |
| | Male 5,181.0 | Male 5,065.6 | Male 5,301.3 | Male 5,124.3 | Male 2,953.0 | Male 1,831.8 |
| | Female 5,206.4 | Female 5,310.6 | Female 5,577.9 | Female 5,757.6 | Female 3,853.6 | Female 3,450.5 |
| | Black 6,787.7 | Black 6,814.1 | Black 7,937.8 | Black 7,873.2 | Black 4,423.1 | Black 3,964.9 |
| | Male 6,911.9 | Male 7,010.7 | Male 7,900.7 | Male 7,968.9 | Male 3,508.8 | Male 3,041.8 |
| | Female 6,628.9 | Female 6,641.4 | Female 7,920.6 | Female 7,785.0 | Female 5,751.2 | Female 5,325.9 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Unintentional Injurt ER Visit Rates, Chattahoochee County, by Race and Sex, 2016-2020




Leading Causes of ER Visits by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of ER Visits | Georgia | | WCHD | | Chattahoochee County | |
|---------------------------------|----------------------------|-------------------|----------------------------|-------------------|----------------------------|-------------------|
| | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate |
| Bone and Muscle Diseases | 3,128.5 | 3,189.2 | 3,592.0 | 3,631.3 | 1,710.0 | 1,058.2 |
| | Male 2,716.3 | Male 2,746.8 | Male 2,937.6 | Male 2,953.9 | Male 1,499.6 | Male 744.0 |
| | Female 3,530.6 | Female 3,607.9 | Female 4,246.6 | Female 4,299.7 | Female 2,146.2 | Female 1,659.5 |
| | White 2,094.4 | White 2,152.2 | White 2,016.7 | White 2,091.1 | White 1,351.4 | White 791.9 |
| | Male 1,798.1 | Male 1,839.1 | Male 1,666.5 | Male 1,707.9 | Male 1,126.6 | Male 538.1 |
| | Female 2,384.5 | Female 2,460.6 | Female 2,396.9 | Female 2,492.5 | Female 1,766.3 | Female 1,316.4 |
| | Black 5,156.6 | Black 5,124.3 | Black 5,433.3 | Black 5,389.3 | Black 2,602.2 | Black 2,001.3 |
| | Male 4,666.1 | Male 4,543.7 | Male 4,552.5 | Male 4,471.1 | Male 2,409.6 | Male 1,568.4 |
| | Female 5,565.6 | Female 5,634.4 | Female 6,226.7 | Female 6,235.7 | Female 3,094.5 | Female 2,639.6 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Bone and Musle Diseases ER Visit Rates, Chattahoochee County, by Race and Sex, 2016-2020




Leading Causes of ER Visits by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of ER Visits | Georgia | | WCHD | | Chattahoochee County | |
|----------------------------------|----------------------------|-------------------|----------------------------|-------------------|----------------------------|-------------------|
| | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate |
| Digestive System Diseases | 2,384.1 | 2,358.9 | 2,673.6 | 2,658.9 | 1,142.5 | 858.6 |
| | Male 2,125.7 | Male 2,101.1 | Male 2,229.2 | Male 2,224.4 | Male 855.7 | Male 538.2 |
| | Female 2,634.7 | Female 2,602.8 | Female 3,148.3 | Female 3,087.6 | Female 1,609.7 | Female 1,471.7 |
| | White 1,891.1 | White 1,875.4 | White 1,760.0 | White 1,780.0 | White 1,054.5 | White 719.9 |
| | Male 1,655.9 | Male 1,643.4 | Male 1,439.8 | Male 1,457.8 | Male 761.6 | Male 395.6 |
| | Female 2,132.5 | Female 2,103.8 | Female 2,133.9 | Female 2,117.5 | Female 1,561.6 | Female 1,390.0 |
| | Black 3,272.4 | Black 3,261.1 | Black 3,696.6 | Black 3,662.1 | Black 1,481.7 | Black 1,349.9 |
| | Male 3,042.8 | Male 3,007.2 | Male 3,193.7 | Male 3,157.8 | Male 1,243.5 | Male 1,109.0 |
| | Female 3,478.1 | Female 3,484.1 | Female 4,182.9 | Female 4,126.9 | Female 1,783.9 | Female 1,705.2 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Digestive System Diseases ER Visit Rates, Chattahoochee County, by Race and Sex, 2016-2020



Leading Causes of ER Visits by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of ER Visits | Georgia | | WCHD | | Chattahoochee County | |
|--|----------------------------|---------------|----------------------------|---------------|----------------------------|---------------|
| | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate |
| Mental and Behavioral Disorders | 1,084.2 | 1,079.3 | 1,193.5 | 1,187.1 | 453.4 | 359.7 |
| | Male | Male | Male | Male | Male | Male |
| | 1,168.7 | 1,170.7 | 1,209.3 | 1,217.4 | 353.5 | 250.1 |
| | Female | Female | Female | Female | Female | Female |
| | 1,004.1 | 992.8 | 1,186.6 | 1,157.2 | 643.9 | 569.3 |
| | White | White | White | White | White | White |
| | 964.1 | 932.0 | 1,037.4 | 1,027.1 | 440.5 | 319.9 |
| | Male | Male | Male | Male | Male | Male |
| | 968.5 | 964.1 | 1,020.6 | 1,025.4 | 318.3 | 205.7 |
| | Female | Female | Female | Female | Female | Female |
| | 922.8 | 900.3 | 1,067.8 | 1,028.8 | 661.5 | 556.0 |
| | Black | Black | Black | Black | Black | Black |
| 1,355.7 | 1,354.2 | 1,371.6 | 1,369.8 | 508.5 | 500.3 | |
| Male | Male | Male | Male | Male | Male | |
| 1,570.4 | 1,579.8 | 1,445.2 | 1,451.2 | 453.7 | 427.8 | |
| Female | Female | Female | Female | Female | Female | |
| 1,140.1 | 1,156.0 | 1,311.0 | 1,294.9 | 627.1 | 607.3 | |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Leading Causes of ER Visits by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of ER Visits | Georgia | | WCHD | | Chattahoochee County | |
|--|----------------------------|---------------|----------------------------|---------------|----------------------------|---------------|
| | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate |
| Chronic Lower Respiratory Disease | 904.4 | 917.1 | 1,141.0 | 1,165.0 | 438.3 | 249.5 |
| | Male | Male | Male | Male | Male | Male |
| | 828.4 | 834.5 | 1,014.2 | 1,018.8 | 384.1 | 177.3 |
| | Female | Female | Female | Female | Female | Female |
| | 973.6 | 995.2 | 1,271.9 | 1,309.2 | 509.6 | 387.6 |
| | White | White | White | White | White | White |
| | 591.2 | 628.7 | 631.6 | 700.1 | 415.9 | 189.3 |
| | Male | Male | Male | Male | Male | Male |
| | 493.4 | 517.4 | 506.5 | 544.2 | 334.5 | 130.6 |
| | Female | Female | Female | Female | Female | Female |
| 689.7 | 738.2 | 774.2 | 863.5 | 496.9 | 310.7 | |
| Black | Black | Black | Black | Black | Black | |
| 1,451.7 | 1,455.3 | 1,682.2 | 1,695.6 | 580.4 | 462.6 | |
| Male | Male | Male | Male | Male | Male | |
| 1,451.5 | 1,462.3 | 1,585.0 | 1,596.8 | 545.0 | 364.4 | |
| Female | Female | Female | Female | Female | Female | |
| 1,441.4 | 1,449.2 | 1,768.3 | 1,786.7 | 675.8 | 607.3 | |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Leading Causes of ER Visits by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of ER Visits | Georgia | | WCHD | | Chattahoochee County | |
|---------------------------|----------------------------|-------------------|----------------------------|-------------------|----------------------------|-----------------|
| | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate |
| Flu and Pneumonia | 708.5 | 682.1 | 727.7 | 706.6 | 363.8 | 251.6 |
| | Male 659.4 | Male 639.9 | Male 640.8 | Male 620.6 | Male 298.5 | Male 161.5 |
| | Female 756.3 | Female 722.1 | Female 821.4 | Female 791.3 | Female 456.5 | Female 424.0 |
| | White 525.8 | White 503.3 | White 423.2 | White 419.7 | White 299.1 | White 205.3 |
| | Male 491.4 | Male 470.0 | Male 369.1 | Male 360.4 | Male 251.7 | Male 138.5 |
| | Female 561.6 | Female 536.2 | Female 485.9 | Female 481.7 | Female 366.9 | Female 343.4 |
| | Black 1,017.9 | Black 1,015.8 | Black 1,044.3 | Black 1,034.0 | Black 533.4 | Black 415.4 |
| | Male 958.5 | Male 976.1 | Male 937.5 | Male 937.5 | Male 406.2 | Male 253.5 |
| | Female 1,070.3 | Female 1,050.6 | Female 1,150.2 | Female 1,123.0 | Female 704.9 | Female 654.1 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Leading Causes of ER Visits by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of ER Visits | Georgia | | WCHD | | Chattahoochee County | |
|---------------------------|----------------------------|---------------|----------------------------|---------------|----------------------------|---------------|
| | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate |
| Heart Disease | 525.9 | 560.3 | 697.6 | 737.7 | 455.7 | 220.4 |
| | Male | Male | Male | Male | Male | Male |
| | 527.5 | 544.1 | 695.4 | 704.6 | 426.3 | 167.8 |
| | Female | Female | Female | Female | Female | Female |
| | 522.7 | 575.6 | 698.3 | 770.3 | 489.2 | 321.0 |
| | White | White | White | White | White | White |
| | 350.0 | 406.8 | 348.2 | 421.5 | 324.9 | 122.6 |
| | Male | Male | Male | Male | Male | Male |
| | 371.0 | 414.8 | 370.0 | 414.8 | 358.6 | 98.9 |
| | Female | Female | Female | Female | Female | Female |
| | 328.2 | 398.9 | 322.9 | 428.6 | 296.6 | 171.7 |
| | Black | Black | Black | Black | Black | Black |
| 889.2 | 846.7 | 1,121.7 | 1,098.6 | 797.9 | 566.4 | |
| Male | Male | Male | Male | Male | Male | |
| 881.7 | 800.0 | 1,124.9 | 1,057.5 | 649.8 | 443.6 | |
| Female | Female | Female | Female | Female | Female | |
| 890.9 | 887.8 | 1,117.0 | 1,136.4 | 927.5 | 747.5 | |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Leading Causes of ER Visits by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of ER Visits | Georgia | | WCHD | | Chattahoochee County | |
|---------------------------|----------------------------|-----------------|----------------------------|-----------------|----------------------------|-----------------|
| | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate |
| Sickle Cell Anemia | 146.6 | 138.9 | 299.7 | 282.5 | 394.8 | 172.6 |
| | Male 137.5 | Male 133.2 | Male 297.8 | Male 291.3 | Male 768.2 | Male 250.1 |
| | Female 155.4 | Female 144.3 | Female 303.8 | Female 273.7 | Female * | Female * |
| | White 10.8 | White 9.3 | White 2.3 | White 1.9 | White * | White * |
| | Male 10.7 | Male 9.5 | Male 2.9 | Male 2.5 | Male * | Male * |
| | Female 10.8 | Female 9.0 | Female 1.7 | Female 1.3 | Female 0.0 | Female 0.0 |
| | Black 374.1 | Black 380.8 | Black 617.3 | Black 602.7 | Black 1,304.1 | Black 774.1 |
| | Male 366.6 | Male 378.1 | Male 642.8 | Male 643.0 | Male 2,607.2 | Male 1,235.7 |
| | Female 380.9 | Female 383.3 | Female 595.5 | Female 565.5 | Female * | Female * |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia
 Rates that have less than 5 events have been indicated with an *

Leading Causes of ER Visits by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of ER Visits | Georgia | | WCHD | | Chattahoochee County | |
|---------------------------|----------------------------|---------------|----------------------------|---------------|----------------------------|---------------|
| | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate |
| Diabetes | 313.4 | 327.9 | 438.4 | 456.0 | 200.1 | 122.7 |
| | Male | Male | Male | Male | Male | Male |
| | 304.7 | 312.2 | 379.4 | 387.1 | 160.5 | 82.3 |
| | Female | Female | Female | Female | Female | Female |
| | 322.6 | 342.7 | 500.0 | 523.9 | 266.9 | 199.9 |
| | White | White | White | White | White | White |
| | 192.8 | 208.4 | 219.2 | 241.2 | 158.9 | 88.0 |
| | Male | Male | Male | Male | Male | Male |
| | 191.8 | 204.9 | 200.7 | 222.8 | 132.3 | 47.5 |
| | Female | Female | Female | Female | Female | Female |
| | 195.2 | 211.9 | 244.3 | 260.4 | 225.3 | 171.1 |
| | Black | Black | Black | Black | Black | Black |
| 567.2 | 550.7 | 706.1 | 701.2 | 315.8 | 245.4 | |
| Male | Male | Male | Male | Male | Male | |
| 567.4 | 524.7 | 615.4 | 587.3 | 263.0 | 221.8 | |
| Female | Female | Female | Female | Female | Female | |
| 569.0 | 573.6 | 788.2 | 806.1 | 356.7 | 280.3 | |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia
 Rates that have less than 5 events have been indicated with an *

Leading Causes of ER Visits by Sex and Race, Chattahoochee County, 2016-2020

| Major Causes of ER Visits | Georgia | | WCHD | | Chattahoochee County | |
|---------------------------|----------------------------|---------------|----------------------------|---------------|----------------------------|---------------|
| | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate |
| Homicide | 241.7 | 235.8 | 343.1 | 332.9 | 119.6 | 104.0 |
| | Male | Male | Male | Male | Male | Male |
| | 268.8 | 267.8 | 382.9 | 386.3 | 115.8 | 85.5 |
| | Female | Female | Female | Female | Female | Female |
| | 215.9 | 205.4 | 305.3 | 280.1 | 139.1 | 139.3 |
| | White | White | White | White | White | White |
| | 139.1 | 131.7 | 195.3 | 184.6 | 78.2 | 74.7 |
| | Male | Male | Male | Male | Male | Male |
| | 149.3 | 145.2 | 218.8 | 218.2 | 83.8 | 67.3 |
| | Female | Female | Female | Female | Female | Female |
| | 128.7 | 118.4 | 170.9 | 149.4 | 79.9 | 89.9 |
| | Black | Black | Black | Black | Black | Black |
| 414.8 | 430.0 | 499.3 | 502.1 | 229.7 | 207.7 | |
| Male | Male | Male | Male | Male | Male | |
| 491.1 | 510.7 | 575.2 | 591.1 | 188.5 | 158.4 | |
| Female | Female | Female | Female | Female | Female | |
| 351.1 | 359.1 | 431.0 | 420.0 | 302.6 | 280.3 | |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Sexually Transmitted Infections

Sexually Transmitted Infections

| Age-Adjusted STD rate per 100,000, 2016-2020 | | | |
|--|---------|-------|----------------------|
| | Georgia | WCHD | Chattahoochee County |
| Chlamydia | 615.2 | 749.0 | 369.5 |
| Gonorrhea | 208.4 | 269.4 | 104.9 |
| Syphilis | 48.3 | 34.2 | 12.9 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Notifiable Disease Reporting

Maternal and Child Health

Maternal Characteristics, Chattahoochee County, 2016-2020

| | | All Races | | | White | | | Black | | |
|-----------------------|-----------------|-----------|-------|--------|---------|------|--------|---------|-------|--------|
| | | Georgia | WCHD | County | Georgia | WCHD | County | Georgia | WCHD | County |
| Pregnancy Rate | All Ages | 48.8 | 53.1 | 80.6 | 42.6 | 46.5 | 84.8 | 56.0 | 58.6 | 70.9 |
| | < 20 years old | 14.3 | 19.8 | 17.8 | 11.4 | 12.2 | 16.6 | 19.2 | 27.3 | 16.7 |
| | 20-39 years old | 100.5 | 105.8 | 120.6 | 90.7 | 96.8 | 125.3 | 110.4 | 112.2 | 111.7 |
| | >39 years old | 4.8 | 3.1 | 6.4 | 3.8 | 3.0 | 5.6 | 5.5 | 3.1 | * |

| | | All Races | | | White | | | Black | | |
|-------------------|-----------------|-----------|------|--------|---------|------|--------|---------|------|--------|
| | | Georgia | WCHD | County | Georgia | WCHD | County | Georgia | WCHD | County |
| Birth Rate | All Ages | 38.2 | 42.9 | 78.8 | 37.9 | 42.4 | 84.9 | 38.6 | 43.2 | 62.1 |
| | < 20 years old | 10.5 | 15.5 | 17.3 | 9.6 | 10.3 | 16.6 | 12.9 | 21.0 | 14.4 |
| | 20-39 years old | 79.2 | 85.8 | 117.9 | 81.2 | 88.8 | 125.5 | 76.4 | 82.5 | 98.2 |
| | >39 years old | 3.4 | 2.4 | 6.4 | 3.1 | 2.6 | 5.6 | 3.6 | 2.0 | * |

| | | All Races | | | White | | | Black | | |
|---------------------------------|-----------------|-----------|------|--------|---------|------|--------|---------|------|--------|
| | | Georgia | WCHD | County | Georgia | WCHD | County | Georgia | WCHD | County |
| Induced Termination Rate | All Ages | 8.9 | 9.0 | 2.1 | 3.3 | 3.5 | 0.6 | 15.3 | 13.5 | 7.0 |
| | < 20 years old | 3.3 | 3.7 | 0.0 | 1.4 | 1.6 | 0.0 | 5.6 | 5.6 | 0.0 |
| | 20-39 years old | 17.9 | 17.6 | 3.3 | 6.7 | 6.9 | 0.9 | 30.1 | 26.2 | 11.7 |
| | >39 years old | 0.9 | 0.6 | 0.0 | 0.4 | 0.3 | 0.0 | 1.3 | 0.8 | 0.0 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia
 Rates per 1,000

Delivery Characteristics, Chattahoochee County, 2016-2020

| Percent Premature | Maternal Age | All Races | | | White | | | Black | | |
|-------------------|-----------------|-----------|------|--------|---------|------|--------|---------|------|--------|
| | | Georgia | WCHD | County | Georgia | WCHD | County | Georgia | WCHD | County |
| | All Ages | 11.4 | 13.2 | 9.8 | 9.9 | 11.0 | 9.9 | 14.2 | 15.8 | 7.7 |
| | < 20 years old | 11.3 | 13.1 | * | 10.4 | 11.5 | * | 12.6 | 13.5 | * |
| | 20-39 years old | 11.2 | 13.0 | 9.8 | 9.7 | 10.7 | 9.8 | 14.2 | 15.8 | 7.5 |
| | >39 years old | 16.6 | 25.3 | * | 14.9 | 23.1 | * | 19.8 | 27.6 | 0.0 |

| Percent Low Birthweight | Maternal Age | All Races | | | White | | | Black | | |
|-------------------------|-----------------|-----------|------|--------|---------|------|--------|---------|------|--------|
| | | Georgia | WCHD | County | Georgia | WCHD | County | Georgia | WCHD | County |
| | All Ages | 9.9 | 11.8 | 9.1 | 7.2 | 7.6 | 8.8 | 14.3 | 16.1 | 10.7 |
| | < 20 years old | 11.7 | 13.8 | * | 8.9 | 9.8 | * | 15.0 | 15.5 | * |
| | 20-39 years old | 9.7 | 11.5 | 8.9 | 7.0 | 7.4 | 8.6 | 14.2 | 16.1 | 10.0 |
| | >39 years old | 13.0 | 18.8 | * | 10.3 | 15.3 | 0.0 | 17.4 | 22.4 | * |

| Percent Very Low Birthweight | Maternal Age | All Races | | | White | | | Black | | |
|------------------------------|-----------------|-----------|------|--------|---------|------|--------|---------|------|--------|
| | | Georgia | WCHD | County | Georgia | WCHD | County | Georgia | WCHD | County |
| | All Ages | 1.8 | 2.3 | 1.3 | 1.1 | 1.3 | 1.4 | 3.0 | 3.4 | * |
| | < 20 years old | 2.0 | 2.7 | 0.0 | 1.5 | 2.3 | 0.0 | 2.6 | 3.0 | 0.0 |
| | 20-39 years old | 1.8 | 2.3 | 1.3 | 1.1 | 1.3 | 1.5 | 3.0 | 3.5 | * |
| | >39 years old | 2.5 | 2.6 | 0.0 | 1.5 | 2.2 | 0.0 | 4.0 | * | 0.0 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
 Numbers highlighted in **Blue** indicate rates <10% compared to Georgia
 Rates that have less than 5 events have been indicated with an *
 Rates per 1,000

Appendix

Appendix

County Health Ranking Measures

Premature Death: Years of potential life lost before age 75 per 100,000 population (age-adjusted)

Data Source: National Vital Statistics System, 2018-2020

Weight in Health Outcomes: 50%

Poor or Fair Health: Percentage of adults reporting fair or poor health (age-adjusted)

Data Source: Behavioral Risk Factor Surveillance System, 2019

Weight in Health Outcomes: 10%

Poor Physical Health Days: Average number of physically unhealthy days reported in past 30 days (age-adjusted)

Data Source: Behavioral Risk Factor Surveillance System, 2019

Weight in Health Outcomes: 10%

Poor Mental Health Days: Average number of mentally unhealthy days reported in past 30 days (age-adjusted)

Data Source: Behavioral Risk Factor Surveillance System, 2019

Weight on Health Outcomes: 10%

Adult Obesity: Percentage of adults that report a BMI of 30 or more

Data Source- CDC Diabetes Interactive Atlas, 2019

Weight in Health Factors: 5%

Physical Inactivity: Percentage of adults age 20 and over reporting no leisure-time physical activity

Data Source- CDC Diabetes Interactive Atlas, 2019

Weight in Health Factors: 2%

Adult Smoking: Percentage of adults who are current smokers

Data Source: Behavioral Risk Factor Surveillance System, 2019

Weight in Health Factors: 10%

Excessive Drinking: Percentage of adults reporting binge or heavy drinking

Data Source: Behavioral Risk Factor Surveillance System, 2019

Weight in Health Factors: 2.5%

Appendix

County Health Ranking Measures (cont)

Alcohol-Impaired Driving Deaths: Percentage of driving deaths with alcohol involvement

Data Source: Fatality Analysis Reporting System (FARS), 2016-2020

Weight in Health Factors: 2.5%

Food Environment Index: Index of factors that contribute to a healthy food environment, 0 (worst)- 10 (best)

Data Source: United States Department Of Agriculture (USDA) Food Environment Atlas, 2019

Weight in Health Factors: 2%

Access to Exercise Opportunities: Percentage of population with adequate access to locations of physical activity

Data Source: ArcGIS Business Analyst with data from DeLormeMap Mart and GIS public use data, 2010 & 2021

Weight in Health Factors: 1%

Uninsured: Percentage of population under age 65 without health insurance

Data Source: United States Census Bureau's Small Area Health Insurance Estimates (SAHIE), 2019

Weight in Health Factors: 5%

Primary Care Physicians: Ratio of population to primary care physicians

Data Source: Area Health Resource File, 2019

Weight in Health Factors: 3%

Mental Health Providers: Ratio of population to mental health providers

Data Source: Centers for Medicare and Medicaid Services', National Provider Identification, 2021

Weight in Health Factors: 1%

Dentists: Ratio of population to dentists

Data Source: Area Health Resource File, 2020

Weight in Health Factors: 1%

Appendix

County Health Ranking Measures (cont)

Air Pollution: Average of daily density of fine particulate matter in micrograms per cubic meter (PM2.5)

Data Source: Center for Disease Control and Prevention's National Environmental Public Health Tracking Network, 2018

Weight in Health Factors: 2.5%

Severe Housing Problems: Percentage of households with at least 1 of the 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing facilities

Data Source: United States Department of Housing and Urban Development's Comprehensive Housing Affordability Strategy Data, 2014-2018

Weight in Health Factor: 2%

Appendix

Oasis Definitions

Age-Adjusted Rates

A weighted average of the age-specific discharge rates, where the weights are the proportions of persons in the corresponding age groups of a standard population. The calculation of an Age-Adjusted Rate uses the year 2000 U.S. standard million. Benefit: Controls for differences in age structure so that observed differences in rates across areas such as counties are not due solely to differences in the proportion of people in different age groups in different areas. Rates that use Census Population Estimates in the denominator are unable to be calculated when the selected population is Unknown.

Death Rate

Formula = $[\text{Number of Deaths} / \text{Population}] * 100,000$. Rates that use Census Population Estimates in the denominator are unable to be calculated when the selected population is Unknown.

Deduplicated Discharges

The number of persons discharged live from non-Federal acute-care inpatient facilities (Hospitals) for illness. Only discharges of Georgia residents who were seen in a Georgia facility are included. Persons are counted only once if readmitted for the same chronic condition during a calendar year. Deduplicated Discharges also excludes people discharged dead, healthy newborn infants, and healthy mothers giving birth to newborn infants. Since the number and rate are derived only from hospitalizations, they do not include all existing cases (prevalence) or new cases (incidence) among residents of Georgia.

Deduplicated Discharge Rate

Formula = $[\text{Number of Deduplicated Discharges} / \text{Population}] * 100,000$. Rates that use Census Population Estimates in the denominator are unable to be calculated when the selected population is Unknown.

Emergency Room Visits (ER Visits)

The number of emergency room visits to non-Federal acute care inpatient facilities. Only discharges of Georgia residents who were seen in a Georgia facility are included. Persons can be counted more than once if readmitted. Visits include people both living and who have died, but not those admitted as an inpatient to a hospital.

Emergency Room Visit (ER Visit) Rate

Formula = $[\text{Number of ER Visits} / \text{Population}] * 100,000$.

Appendix

Oasis Definitions

Induced Termination of Pregnancy (ITOP)

The purposeful interruption of pregnancy with the intention other than to: 1) produce a live-born infant; or 2) to remove a dead fetus. An induced termination of pregnancy does not result in a live birth.

Induced Termination of Pregnancy (ITOP) Rate

The number of induced terminations of pregnancy that occur per 1,000 females per specified age group. All ages includes ages 10-55.

Infant Mortality Rate

Formula = [Number of infant deaths / Live births] * 1,000.

International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)

A statistical classification system, in use since 1979, that arranges diseases and injuries into groups according to established criteria. It is used to improve comparability of cause of death statistics reported by different governmental entities. Most ICD-9-CM codes are numeric and consist of three, four or five numbers and a description. The codes are revised approximately every 10 years by the World Health Organization and annual updates are published by the Health Care Financing Administration (HCFA), now the Center for Medicare, Medicaid Services.

International Classification of Diseases, 10th Revision, Clinical Modification (ICD-10-CM) vs. ICD10

The National Center for Health Statistics (NCHS), the Federal agency responsible for use of the International Statistical Classification of Diseases and Related Health Problems, 10th revision (ICD-10) in the United States, has developed a clinical modification (CM) of the classification for morbidity (hospital and ER data) purposes. The ICD-10 is used to code and classify mortality data from death certificates, having replaced ICD-9 for this purpose as of January 1, 1999. ICD-10-CM is the replacement for ICD-9-CM, effective October 1, 2015 in discharge and ER data.

The ICD-10 is copyrighted by the World Health Organization (WHO). WHO has authorized the development of an adaptation of ICD-10 for use in the United States (ICD-10-CM). All modifications to the ICD-10 must conform to WHO conventions for the ICD. <https://www.cdc.gov/nchs/icd/icd10cm.htm>

Appendix

Oasis Definitions

Low Birthweight Births

Live births of a birthweight less than 2500 grams (5lbs. 8oz.) per 100 live births

Neonatal Period

The period from birth to 27 days of age.

Pregnancy

A pregnancy is a human conception that results in a live birth, fetal death or an induced termination of pregnancy. The total number of conceptions that result in one or more live births, fetal deaths (of all gestational ages), or induced terminations of pregnancy are used to sum the total number of pregnancies. Therefore, Ectopic and Molar pregnancies are not included, and conceptions that result in multiple births (twins, triplets, etc.) are counted as one pregnancy.

Premature Live Births

The number of live births with a gestational age less than 37 weeks, per 100 live births. Gestational age is expressed in completed weeks.

Postneonatal Period

The period after birth 28 through 364 days of age.

Race

Per the Federal Office of Management and Budget, Directive 15 (1997),

White is a person having origins in any of the original peoples of Europe, the Middle East or North Africa;

Black or African-American is a person having origins in any of the black racial groups of Africa;

Multiracial is a person declaring 2 or more races.

In some cases, the numerator's race classification may be more precise, or up to date, than the Census population estimate counterpart used in the denominator.

Appendix

Oasis Definitions

Very Low Birthweight Births

Live births with a birthweight less than 1,500 grams (3lbs. 5oz.)

Years of Potential Life Lost 75 (YPLL 75)

YPLL 75 represents the number of years of potential life lost due to death before age 75, as a measure of premature death. The YPLL 75 Rate is the years of potential life lost before age 75 that occur per 100,000 population less than 75 years of age. Formula = [Total Years of Life Lost before age 75 / Population less than 75 years old] * 100,000.

Appendix

Oasis Detailed Cause Definitions

Bone and Muscle Diseases

Diseases of the musculoskeletal system and connective tissue. 13% are due to osteomyelitis, unspecified. 10% are due to systemic lupus erythematosus (SLE) with organ or system involvement. 9% are due to rheumatoid arthritis, unspecified.

Cancers

The uncontrolled growth of abnormal cells which have mutated from normal tissues. Cancer can kill when these cells prevent normal function of affected vital organs or spread throughout the body to damage other key systems. Cancers included are oral cancer, throat cancer, stomach cancer, colon cancer, liver cancer, pancreatic cancer, lung cancer, skin cancer, breast cancer, cervical cancer, uterine cancer, ovarian cancer, prostate cancer, testicular cancer, bladder cancer, kidney cancer, brain cancer, lymph cancer (Hodgkin's Disease), and leukemia.

Chronic Lower Respiratory Diseases

Diseases related to the process or organs involved in breathing. Diseases included are bronchitis, emphysema, asthma, and all other chronic lower respiratory diseases. Of all other chronic lower respiratory diseases, 86% are due to chronic obstructive pulmonary disease (COPD), unspecified.

Digestive System Diseases

Includes diseases associated with the organs necessary for the digestion of food. Diseases included are alcoholic liver disease and all other chronic liver disease and cirrhosis. Of all other chronic liver disease and cirrhosis, 98% are due to other and unspecified cirrhosis of the liver.

Fetal and Infant Conditions

Conditions to the fetus/child associated with the period of time near birth. Conditions included are prematurity, lack of oxygen to the fetus, respiratory distress syndrome, and birth-related infections. Of birth-related infections, 69% are due to bacterial sepsis of newborn, unspecified.

Heart Disease

Diseases related to the major parts of the circulatory system. Diseases included are high blood pressure (hypertension), rheumatic fever and heart diseases, hypertensive heart disease, obstructive heart diseases (ischemic heart diseases, includes heart attack), hardening of the arteries, and aortic aneurysm and dissection.

Appendix

Oasis Detailed Cause Definitions

Mental and Behavioral Disorders

Any of a series of mental and behavioral disorders, which may be developmental or brought on by external factors. Disorders included are those related to drug use and all other mental and behavioral disorders. Of all other mental and behavioral disorders, 86% are due to unspecified dementia and 10% are due to vascular dementia, unspecified.

Nervous System Diseases

Includes diseases of the central and peripheral nervous systems, including degenerative conditions of the nervous systems. Diseases included are Alzheimer's Disease, Parkinson's Disease, and all other diseases of the nervous system. Of all other diseases of the nervous system, 38% are due to senile degeneration of brain, not elsewhere classified.

Reproductive and Urinary System Diseases

Diseases relating to the organs of reproduction and urination. Diseases included are kidney diseases, kidney infections, and all other diseases of the genitourinary system. Of all other diseases of the genitourinary system, 51% are due to urinary tract infection, site not specified.

Unintentional Injury

All causes that affect the human body that originate from an external source. Causes included are motor vehicle crashes, falls, accidental shooting, drowning, fire and smoke exposure, poisoning, and all other unintentional injury. Of all other unintentional injury, 28% are due to exposure to unspecified factor and unspecified place. 16% are due to exposure to unspecified factor at home.

Acknowledgements

Marija Pritchard, MPHc 2023

Victoria 'Tori' Roy, MPH

North Georgia Health District 1-2

Fellow, Rollins COVID-19 Epidemiology Fellowship

Rollins School of Public, Department of Epidemiology