# Webster County Community Health Assessment

Note:

Rates that have less than 5 events have been indicated with an *

Stratified rates by sex and/or race are not presented when total number of events are less than 20.

Line charts with any missing data from 2016-2020 when stratified by sex and/or race are not presented.

Highlighting 10% differences has been adapted by the 10% rule for considering confounding variables in multivariate logistic regression. Whereas a 10% difference between the crude and adjusted rate, presents the possibility of confounding. In this situation, sex and/or race is being evaluated as potential confounding variables of interest.

# Population Characteristics (2020) Webster County

- Total Population: 2,595
- Ethnicity:
  - White – 54.80%
  - Black or African American - 42.50%
    Hispanic or Latino – 5.16%
  - Sex:
    - Male – 49.21%
    - Female – 50.80%
  - Communities:
    - Eupora
    - Walthall
    - Mantee

# Webster County Population Estimates by Age and Sex (2020)

| Age | Total Population | Female | Male |
|---|---|---|---|
| < 1 | 24 | 8 | 16 |
| 1-4 | 98 | 48 | 50 |
| 5-9 | 126 | 61 | 65 |
| 10-14 | 127 | 66 | 61 |
| 15-17 | 123 | 64 | 59 |
| 18-19 | 43 | 26 | 17 |
| 20-24 | 161 | 77 | 84 |
| 25-29 | 136 | 71 | 65 |
| 30-34 | 115 | 53 | 62 |
| 35-39 | 116 | 59 | 57 |
| 40-44 | 111 | 63 | 48 |
| 45-49 | 173 | 83 | 90 |
| 50-54 | 191 | 102 | 89 |
| 55-59 | 229 | 105 | 124 |
| 60-64 | 192 | 109 | 83 |
| 65-69 | 179 | 108 | 71 |
| 70-74 | 175 | 79 | 96 |
| 75-79 | 104 | 55 | 49 |
| 80-84 | 75 | 30 | 45 |
| 85+ | 97 | 51 | 46 |

- Total Population: 2,595
- Male: 1,277
- Female: 1,318
  - Infants < 1 – 0.92%
  - Pre-School Aged (1-4) – 3.78%
  - Elementary & Middle School Aged (5-12) – 8.40%
  - High School Aged (13-19) – 7.75%
  - Work Force Aged (20-64) – 54.87%
  - Older Adults (65-74) – 13.64%
  - Adults 75 Plus – 10.64%

20.85% population – School Aged or Younger
54.87% population – Work Force Aged
24.28% population – Older Adults

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

# Percent of Population 2020 by Age Total White or Black-African American

## Georgia

**Percent of Population by Age, Total, White and Black or African-American**



## Webster County, GA

**Percent of Population by Age, Total, White and Black or African-American**

# 2022 County Health Rankings, Webster County

| County Health Rankings | Webster County |
|---|---|
| Health Outcomes | 78 |
| Length of Life | 74 |
| Quality of Life | 83 |
| Health Factors | 72 |
| Health Behaviors | 89 |
| Clinical Care | 42 |
| Social and Economic Factors | 88 |
| Physical Environment | 64 |

# 2022 Health Outcomes

| | U.S. | Georgia | Webster County |
|---|---|---|---|
| **Mortality** | | | |
| Premature Death | 7,300 | 8,000 | Missing Data |
| **Morbidity** | | | |
| Poor or Fair Health | 17 % | 19 % | 25% |
| Poor Physical Health Days | 3.9 | 4.1 | 5.0 |
| Poor Mental Health Days | 4.5 | 4.8 | 5.5 |

# 2022 Health Behaviors

| Health Behaviors | U.S. | Georgia | Webster County |
|---|---|---|---|
| Adult Obesity | 32 % | 33 % | 38% |
| Physical Inactivity | 26 % | 27 % | 35% |
| Adult Smoking | 16 % | 17 % | 23% |
| Excessive Drinking | 20 % | 18 % | 17% |
| Alcohol-impaired Driving Deaths | 27 % | 21 % | 50% |
| **Environment** | | | |
| Food Environment Index | 7.8 | 6.3 | 7.9 |
| Access to Exercise Opportunities | 80 % | 70 % | Missing Data |

# 2022 Health Care Availability

|  | U.S. | Georgia | Webster County |
|---|---|---|---|
| **Percent Uninsured** | 11 % | 16 % | 17% |
| **Ratio of Population to Provider** | | | |
| Primary Care Physicians | 1,310:1 | 1,490:1 | 2,610:1 |
| Mental Health Providers | 350:1 | 640:1 | 6,690:1 |
| Dentists | 1,400:1 | 1,920:1 | Missing Data |

# 2016-2020 Socioeconomic Factors

|  | U.S. | Georgia | Webster County |
|---|---|---|---|
| **Percent Under Poverty Level** |  |  |  |
| All Ages | 12.8 % | 14.3 % | 24.7% |
| Under 18 Years | 17.5 % | 20.1 % | 41.8% |
| Under 5 years | 19.1 % | 22.2 % | 0.0% |
| 65 Years or Older | 9.3 % | 10.1 % | 13.3% |
| **Median Household Income** | $64,994 | $61,224 | $31,629 |
| **Unemployment Rate** | 3.7% | 3.4% | 3.0% |
| **Education Attainment** |  |  |  |
| Less than High School | 11.6 % | 13.1 % | 20.4% |
| High School or Equivalent | 26.7 % | 27.5 % | 32.3% |
| Some College/ Associates' | 28.8 % | 27.7 % | 36.4% |
| Bachelor's Degree or Higher | 32.9 % | 32.2 % | 11.0% |

Sources: U. S. Census Bureau, American Community Survey (ACS) and Puerto Rico Community Survey (PRCS), 5-Year Estimates

# 2016-2020 Physical Environment

| | U.S. | Georgia | Webster County |
|---|---|---|---|
| **Environment** | | | |
| Air Pollution (Average daily density of particulate matter in micrograms per cubic meter, PM2.5)* | 7.5 | 8.6 | 8.5 |
| **Housing** | | | |
| Percent w/ Severe Housing Problems* | 17 % | 16 % | 10% |
| Total Percent of Mobile Homes/ other types of housing** | 5.5 % | 7.9 % | 46.6% |
| Percent of Households/ 0 Vehicles Available** | 4.2 % | 3.0 % | 4.13% |

# 2016-2020 Employment

| Industry | Percent |
|---|---|
| Agriculture, forestry, fishing and hunting, and mining | 7.5% |
| Construction | 4.7% |
| Manufacturing | 17.3% |
| Wholesale trade | 7.5% |
| Retail trade | 6.7% |
| Transportation and warehousing, and utilities | 4.9% |
| Information | 1.0% |
| Finance and insurance, and real estate and rental and leasing | 2.2% |
| Professional, scientific, and management, and administrative and waste management services | 3.3% |
| Education services, and health care and social assistance | 19.7% |
| Arts, entertainment, and recreation, and accommodation and food services | 7.1% |
| Other services, except public administration | 3.9% |
| Public administration | 14.3% |

Sources: U. S. Census Bureau, American Community Survey (ACS) and Puerto Rico Community Survey (PRCS), 5-Year Estimates

# Mortality

| Leading Causes of Premature Deaths: Years of Potential Life Lost, Webster County, 2016-2020 (Rate per 100,000) | | |
|---|---|---|
| **Georgia** | **West Central Health District** | **Webster County** |
| Cancer (1,351.7) | Cancer (1,671.1) | Unintentional Injury (4,064.8) |
| Unintentional Injury (1,199.8) | Heart Disease (1,291.4) | Cancer (2,109.6) |
| Heart Disease (722.1) | Unintentional Injury (1,247) | Heart Disease (990.5) |
| COVID-19* (555.6) | COVID-19* (818.9) | Nervous System Diseases (668.9) |
| Suicide (444.9) | Homicide (647.4) | Diabetes (420.2) |
| Homicide (358.6) | Perinatal Period Conditions (513.3) | Mental and Behavior Disorders (300.1) |
| Perinatal Period Conditions (342.9) | Suicide (441.0) | Blood Poisoning (265.8) |
| Chronic Lower Respiratory Diseases (220.3) | Diabetes (304.8) | Chronic Lower Respiratory Diseases (193.0) |
| Diabetes (218.0) | Stroke (286.0) | Flu and Pneumonia (94.3) |
| Stroke (217.0) | Chronic Lower Respiratory Diseases (254.1) | Stroke (90.0) |

*2020 data only

# Leading Causes of Premature Death, Webster County, 2016-2020



| Cause | Years of Potential Life Lost Rate (YPLL) |
|---|---|
| Unintentional Injury | 4,064.80 |
| Cancer | 2,109.60 |
| Heart Disease | 990.5 |
| Nervous System Diseases | 668.9 |
| Diabetes Mellitus | 420.2 |
| Mental and Behavioral Disorders | 300.1 |
| Septicemia | 265.8 |
| Chronic Lower Respiratory Diseases | 193 |
| Flu and Pneumonia | 94.3 |
| Stroke | 90 |

| Leading Causes of Death, Age Adjusted, 2016-2020 (Rate per 100,000) | | |
|---|---|---|
| **Georgia** | **West Central Health District** | **Webster County** |
| Cancer (152.8) | Cancer (169.5) | Cancer (152.2) |
| Heart Disease (92.8) | COVID-19* (98.0) | Unintentional Injury (124.3) |
| COVID-19* (81.6) | Heart Disease (134.4) | Heart Disease (74.8) |
| Alzheimer's Disease (45.0) | Unintentional Injury (51.5) | Stroke (37.2) |
| Unintentional Injury (44.9) | Chronic Lower Respiratory Diseases (48.5) | Flu and Pneumonia (34.7) |
| Lower Respiratory Disease (44.4) | Stroke (46.3) | Diabetes (30.0) |
| Stroke (43.1) | Alzheimer's Disease (42.6) | Chronic Lower Respiratory Diseases (29.1) |
| Mental and Behavioral Disorders (28.6) | Digestive System Diseases (31.4) | Blood Poisoning (23.5) |
| Digestive System Disease (27.6) | Diabetes (30.2) | Alzheimer's Disease (21.7) |
| Diabetes (21.8) | Mental and Behavioral Disorders (28.6) | Mental and Behavioral Disorders (18.9) |

*2020 data only

# Leading Causes of Mortality, Webster County, 2016-2020

| Cause | Age Adjusted Death Rate per 100,000 |
|---|---|
| Cancer | 152.2 |
| Unintentional Injury | 124.3 |
| Heart Disease | 74.8 |
| Stroke | 37.2 |
| Flu and Pneumonia | 34.7 |
| Diabetes Mellitus | 30 |
| Chronic Lower Respiratory Diseases | 29.1 |
| Septicemia | 23.5 |
| Alzheimer's Disease | 21.7 |
| Mental and Behavioral Disorders | 18.9 |

# Leading Causes of Mortality by Sex and Race, Webster County, 2016-2020

| | Georgia | | West Central Health District | | Webster County | |
|---|---|---|---|---|---|---|
| | Age Adjusted | YPLL Rate | Age Adjusted | YPLL Rate | Age Adjusted | YPLL Rate |
| Cancer | 152.8 | 1,351.7 | 169.5 | 1,671.1 | 152.2 | 2,109.6 |
| Flu and Pneumonia | 13.6 | 90.5 | 19.2 | 153.7 | 34.7 | 94.3 |
| Heart Disease | 98.6 | 722.1 | 134.4 | 1,291.4 | 74.8 | 990.5 |
| Unintentional Injury | 50.7 | 1,199.8 | 51.5 | 1,247.0 | 124.3 | 4,064.8 |
| Chronic Lower Respiratory Diseases | 41.6 | 220.3 | 48.5 | 254.1 | 29.1 | 193.0 |
| Diabetes | 42.0 | 218.0 | 30.2 | 304.8 | 30.0 | 420.2 |
| Stroke | 43.0 | 217.0 | 46.3 | 286.0 | 37.2 | 90.0 |
| Alzheimer's Disease | 45.9 | 20.5 | 42.6 | 23.8 | 21.7 | 0.0 |
| Mental and Behavioral Disorders | 28.5 | 103.3 | 28.6 | 95.4 | 18.9 | 300.1 |
| Blood Poisoning | 15.2 | 128.6 | 21.7 | 216.1 | 23.5 | 265.8 |

*2020 data only

Note: Numbers highlighted in Yellow indicate rates >10% compared to Georgia

Numbers highlighted in Blue indicate rates <10% compared to Georgia

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

# Leading Causes of Mortality by Sex and Race, Webster County, 2016-2020

| Cancer | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate |
| | Total 156.6 | Total 1,419.3 | Total 173.1 | Total 1,744.5 | Total 153.2 | Total 2,174.3 |
| | Male 190.7 Female 132.0 | Male 1,505.5 Female 1,336.2 | Male 210.6 Female 146.0 | Male 1,803.8 Female 1,684.1 | Male 192.8 Female 113.8 | Male 2,731.3 Female 1,624.5 |
| | White 152.4 Male 184.3 Female 128.1 | White 1,412.8 Male 1,528.6 Female 1,296.2 | White 167.0 Male 203.2 Female 138.9 | White 1,678.3 Male 1,740.0 Female 1,611.4 | White 134.5 Male 139.4 Female 127.5 | White 1,913.2 Male 1,912.0 Female 1,914.5 |
| | Black 166.3 Male 211.0 Female 139.7 | Black 1,431.1 Male 1,505.5 Female 1,336.2 | Black 180.2 Male 219.8 Female 154.3 | Black 1,817.3 Male 1,879.1 Female 1,758.9 | Black 194.6 Male 293.3 Female * | Black 2,496.1 Male 3,748.0 Female * |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
Numbers highlighted in **Blue** indicate rates <10% compared to Georgia
Rates that have less than 5 events have been indicated with an *

Age Adjusted Cancer Mortality Rates, Webster County, by Race and Sex, 2016-2020

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

# Leading Causes of Mortality by Sex and Race, Webster County, 2016-2020

| Heart Disease | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate |
| | Total 110.7 | Total 884.8 | Total 159.1 | Total 1,503.9 | Total 75.5 | Total 1,020.9 |
| | Male 147.3 Female 81.7 | Male 1,230.9 Female 550.8 | Male 207.7 Female 119.3 | Male 1,998.5 Female 1,001.1 | Male 121.3 Female * | Male 1,405.7 Female * |
| | White 103.6 Male 138.2 Female 75.0 | White 799.1 Male 1,121.9 Female 473.9 | White 141.3 Male 182.7 Female 105.5 | White 1,219.7 Male 1,601.8 Female 804.8 | White 45.2 Male 76.4 Female * | White 504.3 Male 449.9 Female * |
| | Black 127.8 Male 170.2 Female 97.9 | Black 1,039.4 Male 1,440.1 Female 681.5 | Black 182.6 Male 244.1 Female 136.6 | Black 1,817.1 Male 2,466.6 Female 1,202.8 | Black 120.0 Male 181.5 Female * | Black 1,657.5 Male 2,591.7 Female * |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
Numbers highlighted in **Blue** indicate rates <10% compared to Georgia
Rates that have less than 5 events have been indicated with an *

# Leading Causes of Mortality by Sex and Race, Webster County, 2016-2020

| Flu and Pneumonia | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate |
| | Total 14.0 | Total 95.9 | Total 19.7 | Total 162.1 | Total 34.8 | Total 97.2 |
| | Male 16.3 Female 12.2 | Male 107.0 Female 85.2 | Male 24.1 Female 16.0 | Male 196.2 Female 127.3 | Male 49.0 Female * | Male 195.7 Female * |
| | White 13.9 Male 15.7 Female 12.5 | White 90.6 Male 95.9 Female 85.2 | White 17.3 Male 19.1 Female 15.6 | White 119.3 Male 124.1 Female 114.0 | White * Male * Female * | White * Male * Female * |
| | Black 13.7 Male 18.0 Female 11.2 | Black 105.5 Male 128.3 Female 85.2 | Black 23.0 Male 32.0 Female 16.5 | Black 209.2 Male 281.2 Female 141.1 | Black 63.1 Male * Female * | Black 217.0 Male * Female * |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Rates that have less than 5 events have been indicated with an *

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

# Leading Causes of Mortality by Sex and Race, Webster County, 2016-2020

| Unintentional Injury | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate |
| | Total 47.0 | Total 1,269.1 | Total 53.2 | Total 1,295.9 | Total 128.0 | Total 4,189.5 |
| | Male 65.0 Female 30.7 | Male 1,798.1 Female 758.6 | Male 69.4 Female 37.3 | Male 1,784.4 Female 799.3 | Male 145.2 Female 110.5 | Male 4,937.7 Female 3,451.0 |
| | White 50.2 Male 66.6 Female 34.5 | White 1,323.2 Male 1,818.5 Female 824.4 | White 59.2 Male 71.0 Female 45.9 | White 1,337.3 Male 1,752.5 Female 886.6 | White 107.1 Male * Female * | White 2,937.9 Male * Female * |
| | Black 39.6 Male 60.7 Female 22.8 | Black 1,171.5 Male 1,759.0 Female 646.7 | Black 43.3 Male 64.5 Female 24.7 | Black 1,250.3 Male 1,822.0 Female 709.7 | Black 163.8 Male 214.9 Female * | Black 5,732.0 Male 7,655.5 Female * |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
Numbers highlighted in **Blue** indicate rates <10% compared to Georgia
Rates that have less than 5 events have been indicated with an *

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

# Years of Potential Life Lost Rate by Types of Unintentional Injury, Webster County, 2016-2020

| | |
|---|---|
| Motor Vehicle Crashes | 2,744.20 |
| Accidental Shooting | 0 |
| Drowning | 0 |
| All Other Unintentional Injury* | |
| Falls* | |
| Poisoning* | |
| Fire and Smoke Exposure* | |
| Suffocation* | |

Years of Potential Life Lost Rate (YPLL)

Rates that have less than 5 events have been indicated with an *

# Number of Deaths by Type of Unintentional Injury, Webster County, 2016-2020

| Type | Number of Deaths |
|------|-----------------|
| Motor Vehicle Crashes | 8 |
| All Other Unintentional Injury | 3 |
| Poisoning | 2 |
| Falls | 1 |
| Fire and Smoke Exposure | 1 |
| Suffocation | 1 |
| Accidental Shooting | 0 |
| Drowning | 0 |

Number of Deaths

# Leading Causes of Mortality by Sex and Race, Webster County, 2016-2020

| Chronic Lower Respiratory Diseases | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate |
| | Total 45.9 | Total 236.3 | Total 49.7 | Total 268.2 | Total 29.2 | Total 198.9 |
| | Male 48.5 Female 38.9 | Male 237.2 Female 235.5 | Male 53.6 Female 47.0 | Male 232.7 Female 304.2 | Male * Female 39.5 | Male * Female 351.2 |
| | White 51.8 Male 54.9 Female 49.7 | White 280.6 Male 265.2 Female 296.1 | White 60.4 Male 58.8 Female 61.8 | White 266.9 Male 299.1 Female 440.4 | White 39.6 Male * Female * | White 360.2 Male * Female * |
| | Black 27.1 Male 37.5 Female 30.9 | Black 156.5 Male 183.6 Female 132.3 | Black 31.9 Male 44.6 Female 24.1 | Black 159.5 Male 154.5 Female 164.2 | Black 0.0 Male * Female * | Black 0.0 Male * Female * |

Note: Numbers highlighted in Yellow indicate rates >10% compared to Georgia
Numbers highlighted in Blue indicate rates <10% compared to Georgia
Rates that have less than 5 events have been indicated with an *

# Leading Causes of Mortality by Sex and Race, Webster County, 2016-2020

| Diabetes | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate |
| | Total 22.3 | Total 231.3 | Total 31.0 | Total 319.8 | Total 30.1 | Total 433.1 |
| | Male 27.1 Female 18.4 | Male 276.6 Female 187.5 | Male 35.8 Female 27.1 | Male 346.1 Female 293.0 | Male * Female * | Male * Female * |
| | White 17.2 Male 21.7 Female 13.4 | White 176.8 Male 215.6 Female 137.7 | White 24.0 Male 29.2 Female 19.7 | White 255.9 Male 265.1 Female 245.8 | White * Male * Female * | White * Male * Female * |
| | Black 36.7 Male 44.1 Female 31.6 | Black 329.6 Male 393.7 Female 272.3 | Black 42.2 Male 46.4 Female 38.5 | Black 390.2 Male 441.6 Female 341.6 | Black * Male * Female * | Black * Male * Female * |

# Leading Causes of Mortality by Sex and Race, Webster County, 2016-2020

| Stroke | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate |
| | Total 43.9 | Total 227.6 | Total 46.9 | Total 292.5 | Total 37.3 | Total 92.8 |
| | Male 45.4 Female 42.0 | Male 266.2 Female 190.3 | Male 49.6 Female 43.8 | Male 349.9 Female 234.2 | Male * Female 37.7 | Male * Female 26.3 |
| | White 40.4 Male 40.8 Female 39.3 | White 182.7 Male 209.5 Female 155.7 | White 37.6 Male 37.7 Female 36.7 | White 186.9 Male 207.1 Female 165.0 | White * Male * Female * | White * Male * Female * |
| | Black 52.9 Male 58.0 Female 48.3 | Black 308.4 Male 374.9 Female 249.1 | Black 61.2 Male 69.4 Female 54.0 | Black 408.9 Male 518.4 Female 305.4 | Black 85.6 Male * Female * | Black 138.1 Male * Female * |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
Numbers highlighted in **Blue** indicate rates <10% compared to Georgia
Rates that have less than 5 events have been indicated with an *

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

# Leading Causes of Mortality by Sex and Race, Webster County, 2016-2020

| Alzheimer's Disease | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate |
| | Total 46.0 | Total 22.0 | Total 43.6 | Total 25.1 | Total 21.8 | Total 0.0 |
| | Male 34.9 Female 52.4 | Male 17.8 Female 26.1 | Male 32.6 Female 49.3 | Male 21.7 Female 28.6 | Male * Female * | Male * Female * |
| | White 47.3 Male 35.6 Female 54.6 | White 24.6 Male 19.8 Female 29.4 | White 46.2 Male 34.8 Female 52.6 | White 30.9 Male 23.3 Female 39.2 | White * Male * Female * | White * Male * Female * |
| | Black 41.2 Male 31.7 Female 45.4 | Black 17.3 Male 14.0 Female 20.3 | Black 38.4 Male 27.2 Female 43.2 | Black 18.7 Male 19.7 Female 17.8 | Black * Male * Female 0.0 | Black * Male * Female 0.0 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
Numbers highlighted in **Blue** indicate rates <10% compared to Georgia
Rates that have less than 5 events have been indicated with an *

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

# Leading Causes of Mortality by Sex and Race, Webster County, 2016-2020

| Mental and Behavioral Disorders | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate |
| | Total 29.9 | Total 110.3 | Total 29.1 | Total 100.8 | Total 19.0 | Total 309.4 |
| | Male 29.0 Female 29.5 | Male 152.8 Female 69.2 | Male 28.3 Female 28.7 | Male 127.5 Female 73.5 | Male * Female * | Male * Female * |
| | White 29.2 Male 27.5 Female 29.4 | White 116.3 Male 156.1 Female 76.2 | White 29.6 Male 26.6 Female 31.1 | White 108.2 Male 113.9 Female 102.0 | White * Male 0.0 Female * | White * Male 0.0 Female * |
| | Black 31.4 Male 34.8 Female 29.9 | Black 99.4 Male 146.6 Female 57.3 | Black 27.9 Male 31.0 Female 25.0 | Black 92.5 Male 143.6 Female 44.2 | Black * Male * Female * | Black * Male * Female * |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Rates that have less than 5 events have been indicated with an *

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

# Leading Causes of Mortality by Sex and Race, Webster County, 2016-2020

| Blood Poisoning | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate | Age Adjusted Death Rate | Years of Potential Life Lost Rate |
| | Total 15.6 | Total 136.4 | Total 22.0 | Total 223.2 | Total 23.6 | Total 274.0 |
| | Male 17.4 | Male 142.8 | Male 24.0 | Male 212.5 | Male * | Male * |
| | Female 14.3 | Female 130.2 | Female 20.7 | Female 234.0 | Female * | Female * |
| | White 13.6 Male 15.0 Female 12.5 | White 115.7 Male 122.0 Female 109.4 | White 17.2 Male 18.8 Female 16.1 | White 154.8 Male 168.2 Female 140.1 | White * Male * Female * | White * Male * Female * |
| | Black 21.4 Male 25.0 Female 19.0 | Black 173.8 Male 182.8 Female 165.8 | Black 28.8 Male 32.6 Female 26.6 | Black 298.5 Male 264.8 Female 330.4 | Black * Male * Female * | Black * Male * Female * |

Note: Numbers highlighted in Yellow indicate rates >10% compared to Georgia
Numbers highlighted in Blue indicate rates <10% compared to Georgia
Rates that have less than 5 events have been indicated with an *

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

# Morbidity

| Age-Adjusted Deduplicated Discharge Rate by Health Issue, 2016-2020 (Rate per 100,000) | | |
|---|---|---|
| **Georgia** | **West Central Health District** | **Webster County** |
| Pregnancy and Child Birthing Complications | Pregnancy and Child Birthing Complications | Pregnancy and Child Birthing Complications |
| Digestive System Diseases (630.5) | Digestive System Diseases (658.3) | Digestive System Diseases (546.2) |
| Blood Poisoning (490.8) | Blood Poisoning (410.4) | Bone and Muscle Diseases (469.1) |
| Mental and Behavioral Disorders (393.7) | Mental and Behavioral Disorders (403.3) | Heart Disease (346.3) |
| Bone and Muscle Diseases (388.1) | Unintentional Injury (380.0) | Unintentional Injury (301.9) |
| Unintentional Injury (366.7) | Bone and Muscle Diseases (374.1) | Blood Poisoning (285.8) |
| Heart Disease (315.3) | Heart Disease (335.8) | Mental and Behavioral Disorders (205.2) |
| COVID-19* (284.7) | COVID-19* (298.8) | COVID-19* (189.5) |
| Flu and Pneumonia (206.4) | Flu and Pneumonia (230.3) | Cancer (181.9) |
| Stroke (190.9) | Cancer (195.1) | Stroke (178.2) |
| Cancer (187.8) | Diabetes (178.5) | Flu and Pneumonia (160.6) |

*2020 data only

# Leading Causes of Hospital Utilization, Webster County, 2016-2020



| Cause | Age Adjusted Deduplicated Discharge Rate per 100,000 |
|---|---|
| Digestive System Diseases | 546.2 |
| Bone and Muscle Diseases | 469.1 |
| Heart Disease | 346.3 |
| Unintentional Injury | 301.9 |
| Blood Poisoning | 285.8 |
| Mental and Behavioral Disorders | 205.2 |
| COVID-19* | 189.5 |
| Cancer | 181.9 |
| Stroke | 178.2 |
| Flu and Pneumonia | 160.6 |

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/
*2020 data only

| Hospital Deduplicated Discharge by Health Issue, 2016-2020 (Rate per 100,000) | | |
|---|---|---|
| **Georgia** | **West Central Health District** | **Webster County** |
| Pregnancy and Child Birthing Complications | Pregnancy and Child Birthing Complications | Pregnancy and Child Birthing Complications |
| Digestive System Diseases (663.7) | Digestive System Diseases (718.3) | Digestive System Diseases (653.0) |
| Blood Poisoning (518.9) | Heart Disease (466.6) | Mental and Behavioral Disorders (483.9) |
| Bone and Muscle Diseases (431.6) | Blood Poisoning (463.8) | Heart Disease (468.6) |
| Heart disease (411.9) | Bone and Muscle Diseases (433.8) | Bone and Muscle Diseases (437.9) |
| Mental and Behavioral Disorders (397.2) | Unintentional Injury (414.4) | Blood Poisoning (430.2) |
| Unintentional Injury (373.8) | Mental and Behavioral Disorders (403.2) | Unintentional Injury (368.7) |
| COVID-19* (309.5) | COVID-19* (339.8) | Cancer (291.9) |
| Flu and Pneumonia (213.9) | Stroke (272.7) | COVID-19* (231.2) |
| Cancer (210.0) | Flu and Pneumonia (255.4) | Stroke (230.5) |
| Stroke (206.2) | Cancer (231.0) | Flu and Pneumonia (230.5) |

*2020 data only

# Leading Causes of Hospital Utilization, Webster County, 2016-2020

| Cause | Deduplicated Discharge Rate per 100,000 |
|---|---|
| Digestive System Diseases | 653 |
| Mental and Behavioral Disorders | 483.9 |
| Heart Disease | 468.6 |
| Bone and Muscle Diseases | 437.9 |
| Blood Poisoning | 430.2 |
| Unintentional Injury | 368.7 |
| Cancer | 291.9 |
| COVID-19* | 231.2 |
| Stroke | 230.5 |
| Flu and Pneumonia | 230.5 |

| Top Ten* County Causes of Hospital Utilization for Webster County, 2016-2020 | | | | | | |
|---|---|---|---|---|---|---|
| | Georgia | | West Central Health District | | Webster County | |
| | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate |
| Digestive System Diseases | 630.5 | 663.7 | 658.3 | 718.3 | 546.2 | 653.0 |
| Heart Disease | 375.9 | 411.9 | 404.4 | 466.6 | 346.3 | 468.6 |
| Cancer | 187.8 | 210.0 | 195.1 | 231.0 | 181.9 | 291.9 |
| Bone and Muscle Disease | 388.1 | 431.6 | 374.1 | 433.8 | 469.1 | 437.9 |
| Blood Poisoning | 490.8 | 518.9 | 410.4 | 463.8 | 285.8 | 430.2 |
| Unintentional Injury | 366.7 | 373.8 | 380.0 | 414.4 | 301.9 | 368.7 |
| Mental and Behavioral Disorders | 393.7 | 397.2 | 403.3 | 403.2 | 205.2 | 483.9 |
| Flu and Pneumonia | 206.4 | 213.9 | 230.3 | 255.4 | 160.6 | 230.5 |
| COVID-19* | 284.7 | 309.5 | 298.8 | 339.8 | 189.5 | 231.2 |
| Stroke | 190.9 | 206.2 | 234.7 | 272.7 | 178.2 | 230.5 |

*2020 data only

Note: Numbers highlighted in Yellow indicate rates >10% compared to Georgia

Numbers highlighted in Blue indicate rates <10% compared to Georgia

# Leading Causes of Morbidity by Sex and Race, Webster County, 2016-2020

| Digestive System Diseases | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate |
| | Total 626.4 | Total 671.5 | Total 654.8 | Total 726.4 | Total `526.6` | Total 631.5 |
| | Male 625.3 Female 627.8 | Male 638.4 Female 702.8 | Male 648.9 Female 662.9 | Male 675.2 Female `776.8` | Male `403.3` Female 652.7 | Male `539.2` Female 723.0 |
| | White 594.6 Male 589.6 Female 600.6 | White 682.9 Male 646.6 Female 718.7 | White 599.2 Male 589.0 Female 615.4 | White 718.8 Male 661.5 Female 778.9 | White `401.2` Male `386.3` Female `417.5` | White `459.9` Male `475.5` Female `444.3` |
| | Black 699.0 Male 712.6 Female 686.9 | Black 650.2 Male 622.3 Female 674.7 | Black 730.1 Male 733.1 Female 725.5 | Black `735.0` Male `692.0` Female `774.6` | Black 744.8 Male `476.0` Female `1,044.7` | Black `855.8` Male 622.5 Female `1,086.6` |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

Digestive System Diseases Hospital Deduplicated Discharge Rates, Webster County, by Race and Sex, 2016-2020

# Leading Causes of Morbidity by Sex and Race, Webster County, 2016-2020

| Heart Disease | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate |
| | Total 378.2 | Total 424.7 | Total 404.3 | Total 475.5 | Total 346.2 | Total 473.6 |
| | Male 481.5 Female 289.9 | Male 509.6 Female 344.4 | Male 504.6 Female 316.1 | Male 549.3 Female 402.7 | Male 379.3 Female 323.5 | Male 555.0 Female 393.0 |
| | White 346.3 Male 455.8 Female 247.6 | White 432.3 Male 536.5 Female 329.8 | White 347.3 Male 455.2 Female 246.7 | White 465.9 Male 558.0 Female 369.4 | White 233.5 Male 365.4 Female 107.6 | White 404.1 Male 587.4 Female 222.2 |
| | Black 442.1 Male 527.9 Female 375.2 | Black 410.3 Male 456.4 Female 369.8 | Black 473.5 Male 567.0 Female 397.1 | Black 486.5 Male 538.7 Female 438.4 | Black 522.4 Male 422.1 Female 648.5 | Black 564.5 Male 512.6 Female 615.7 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Heart Disease Hospital Deduplicated Discharge Rates, Webster County, by Race and Sex, 2016-2020

Y-axis: Deduplicated Discharge Rate per 100,000

Legend: White, White Male, White Female, Black, Black Male, Black Female

# Leading Causes of Morbidity by Sex and Race, Webster County, 2016-2020

| Cancer | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate |
| | Total 185.1 | Total 212.0 | Total 195.9 | Total 236.7 | Total 183.6 | Total 300.0 |
| | Male 205.5 Female 169.5 | Male 223.0 Female 201.6 | Male 219.3 Female 178.4 | Male 247.5 Female 226.0 | Male 209.8 Female 155.8 | Male 364.7 Female 235.8 |
| | White 171.2 Male 192.1 Female 154.6 | White 213.9 Male 229.0 Female 199.0 | White 170.9 Male 199.8 Female 147.2 | White 227.9 Male 246.1 Female 208.8 | White 184.0 Male 137.2 Female 227.3 | White 306.6 Male 279.7 Female 333.2 |
| | Black 218.2 Male 241.7 Female 202.6 | Black 208.5 Male 210.9 Female 206.3 | Black 229.6 Male 246.3 Female 217.8 | Black 246.7 Male 249.3 Female 244.4 | Black 183.4 Male 296.3 Female * | Black 291.3 Male 476.0 Female * |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
Numbers highlighted in **Blue** indicate rates <10% compared to Georgia
Rates that have less than 5 events have been indicated with an *

Cancer Hospital Deduplicated Discharge Rates, Webster County, by Race and Sex, 2016-2020

# Leading Causes of Morbidity by Sex and Race, Webster County, 2016-2020

| Bone and Muscle Diseases | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate |
| | Total 394.0 | Total 448.1 | Total 376.9 | Total 444.4 | Total `325.6` | Total 450.0 |
| | Male 377.5 Female 407.1 | Male 405.9 Female 488.1 | Male 363.2 Female 387.7 | Male 399.2 Female 489.0 | Male `273.1` Female 375.6 | Male 428.2 Female 471.5 |
| | White 401.8 Male 386.2 Female 414.8 | White 500.5 Male 455.8 Female 544.5 | White 384.5 Male 380.9 Female 386.0 | White 495.4 Male 453.6 Female 539.3 | White `348.1` Male `270.6` Female 416.7 | White 501.7 Male 447.6 Female 555.4 |
| | Black 360.5 Male 335.7 Female 377.3 | Black 350.5 Male 307.2 Female 388.4 | Black 359.0 Male 328.3 Female 382.3 | Black 386.2 Male 333.1 Female `435.2` | Black `302.8` Male `275.7` Female 321.0 | Black 382.4 Male `402.8` Female 362.2 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

Bone and Muscle Diseases Hospital Deduplicated Discharge Rates, Webster County, by Race and Sex, 2016-2020

# Leading Causes of Morbidity by Sex and Race, Webster County, 2016-2020

| Blood Poisoning | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate |
| | Total 491.7 | Total 531.6 | Total 413.2 | Total 475.5 | Total 285.5 | Total 434.2 |
| | Male 524.6 Female 469.4 | Male 526.3 Female 536.5 | Male 449.2 Female 388.8 | Male 478.7 Female 472.3 | Male 330.0 Female 241.5 | Male 491.6 Female 377.2 |
| | White 448.4 Male 466.8 Female 437.9 | White 532.0 Male 516.0 Female 547.7 | White 338.2 Male 355.7 Female 329.7 | White 434.2 Male 419.6 Female 449.4 | White 255.5 Male 312.3 Female 207.5 | White 404.1 Male 475.5 Female 333.2 |
| | Black 584.7 Male 670.0 Female 529.3 | Black 530.8 Male 546.7 Female 516.9 | Black 513.3 Male 588.2 Female 460.8 | Black 522.7 Male 550.7 Female 496.8 | Black 345.0 Male 381.3 Female 278.2 | Black 473.4 Male 512.6 Female 434.6 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Blood Poisoning Hospital Deduplicated Discharge Rates, Webster County, by Race and Sex, 2016-2020

Legend: White, White Male, White Female, Black, Black Male, Black Female

Y-axis: Deduplicated Discharge Rate per 100,000

# Leading Causes of Morbidity by Sex and Race, Webster County, 2016-2020

| Unintentional Injury | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate |
| | Total 363.7 | Total 378.5 | Total 380.5 | Total `421.4` | Total `298.9` | Total 371.0 |
| | Male 377.7 Female 339.8 | Male 368.7 Female 387.7 | Male 396.2 Female 349.4 | Male 400.5 Female `441.9` | Male 351.7 Female `248.6` | Male 396.4 Female `345.8` |
| | White 370.6 Male 355.1 Female 371.8 | White 425.1 Male 371.0 Female 478.4 | White `428.3` Male `403.6` Female `429.3` | White `535.9` Male `442.2` Female `634.0` | White 325.4 Male `320.0` Female 333.5 | White 432.0 Male 335.7 Female `527.6` |
| | Black 313.0 Male 398.9 Female 238.0 | Black 291.4 Male 364.0 Female 227.7 | Black 293.1 Male 366.6 Female 224.6 | Black 290.6 Male 349.7 Female 236.1 | Black `232.3` Male 396.7 Female * | Black 291.3 Male `476.0` Female * |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Rates that have less than 5 events have been indicated with an *

Unintentional Injury Hospital Deduplicated Discharge Rates, Webster County, by Race and Sex, 2016-2020

# Deduplicated Discharge Rate per 100,000 by Type of Unintentional Injury, Webster County, 2016-2020

| Type | Rate |
|------|------|
| Falls | 184.4 |
| Motor Vehicle Crashes | 92.2 |
| All Other Unintentional Injury | 38.4 |
| Suffocation | 0 |
| Accidental Shooting | 0 |
| Drowning | 0 |
| Poisoning* | |
| Fire and Smoke Exposure* | |

Deduplicated Discharge Rate

Rates that have less than 5 events have been indicated with an *

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

# Leading Causes of Morbidity by Sex and Race, Webster County, 2016-2020

| Flu and Pneumonia | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate |
| | Total 207.5 | Total 219.6 | Total 232.3 | Total 261.6 | Total 153.8 | Total 228.9 |
| | Male 214.0 Female 203.6 | Male 208.0 Female 230.6 | Male 242.1 Female 228.2 | Male 246.2 Female 276.8 | Male 159.8 Female 153.4 | Male 253.7 Female 204.3 |
| | White 197.7 Male 200.3 Female 197.2 | White 231.2 Male 214.3 Female 248.0 | White 203.9 Male 212.4 Female 199.7 | White 260.9 Male 241.3 Female 281.5 | White 103.1 Male 88.8 Female 121.3 | White 195.1 Male 195.8 Female 194.4 |
| | Black 218.2 Male 235.8 Female 206.9 | Black 197.9 Male 195.6 Female 199.9 | Black 262.5 Male 278.7 Female 255.7 | Black 262.3 Male 252.1 Female 271.7 | Black 223.9 Male 251.0 Female 212.7 | Black 273.1 Male 329.5 Female 217.3 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

# Leading Causes of Morbidity by Sex and Race, Webster County, 2016-2020

| Stroke | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate |
| | Total 190.1 | Total 210.9 | Total 235.0 | Total 279.0 | Total 180.4 | Total 236.8 |
| | Male 211.6 Female 171.6 | Male 218.6 Female 203.7 | Male 265.6 Female 208.1 | Male 289.9 Female 268.3 | Male 196.1 Female 168.1 | Male 269.6 Female 204.3 |
| | White 159.1 Male 177.7 Female 142.5 | White 197.1 Male 203.4 Female 190.8 | White 182.1 Male 207.0 Female 158.0 | White 247.9 Male 252.6 Female 243.1 | White 142.1 Male 183.1 Female 102.2 | White 223.0 Male 307.7 Female 138.9 |
| | Black 261.7 Male 296.6 Female 234.1 | Black 236.9 Male 248.6 Female 226.5 | Black 303.5 Male 350.9 Female 266.9 | Black 314.5 Male 335.4 Female 295.2 | Black 255.7 Male 223.2 Female 302.9 | Black 254.9 Male 219.7 Female 289.8 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

## Leading Causes of Morbidity by Sex and Race, Webster County, 2016-2020

| COVID-19* | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate |
| | Total 266.5 | Total 297.3 | Total 298.9 | Total 345.1 | Total 192.3 | Total 237.7 |
| | Male 283.7 Female 253.0 | Male 297.7 Female 296.9 | Male 300.2 Female 302.4 | Male 320.9 Female 369.0 | Male * Female * | Male * Female * |
| | White 202.4 Male 227.4 Female 180.4 | White 248.0 Male 262.1 Female 234.2 | White 180.5 Male 199.7 Female 166.3 | White 233.0 Male 237.9 Female 227.9 | White * Male * Female * | White * Male * Female * |
| | Black 402.9 Male 416.5 Female 394.4 | Black 387.1 Male 366.6 Female 405.1 | Black 452.2 Male 445.0 Female 465.0 | Black 472.8 Male 421.6 Female 519.9 | Black * Male * Female * | Black * Male * Female * |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Rates that have less than 5 events have been indicated with an *

*2020 data only

# Leading Causes of Morbidity by Sex and Race, Webster County, 2016-2020

| Mental and Behavioral Disorders | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate | Age-Adjusted Deduplicated Discharge Rate | Deduplicated Discharge Rate |
| | Total 397.5 | Total 402.1 | Total 405.9 | Total 406.8 | Total 206.9 | Total 213.1 |
| | Male 407.0 Female 390.3 | Male 413.4 Female 391.4 | Male 403.5 Female 414.3 | Male 410.0 Female 403.6 | Male 234.1 Female 171.7 | Male 253.7 Female 172.9 |
| | White 378.2 Male 367.6 Female 389.8 | White 381.0 Male 374.1 Female 387.8 | White 374.4 Male 346.2 Female 413.0 | White 372.8 Male 352.4 Female 394.1 | White 158.1 Male 175.9 Female 129.5 | White 153.3 Male 167.8 Female 138.9 |
| | Black 434.2 Male 489.6 Female 391.3 | Black 441.4 Male 491.2 Female 397.6 | Black 441.6 Male 474.6 Female 417.2 | Black 445.6 Male 480.0 Female 413.9 | Black 271.5 Male 327.9 Female 218.3 | Black 291.3 Male 366.2 Female 217.3 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

**Emergency Room Visits by Health Issues, Adjusted for Age, 2016-2020 (Rate per 100,000)**

| Georgia | West Central Health District | Webster County |
|---|---|---|
| Unintentional Injury (5,846.7) | Unintentional Injury (6,676.3) | Unintentional Injury (5,106.1) |
| Bone and Muscle Diseases (3,096.9) | Bone and Muscle Diseases (3,561.2) | Bone and Muscle Diseases (3,116.4) |
| Digestive System Diseases (2,376.9) | Digestive System Diseases (2,660.6) | Digestive System Diseases (2,644.6) |
| Mental and Behavioral Disorders (1,079.7) | Mental and Behavioral Disorders (1,135.5) | Flu and Pneumonia (919.2) |
| Chronic Lower Respiratory Diseases (891.5) | Chronic Lower Respiratory Diseases (1,123.3) | Chronic Lower Respiratory Diseases (725.3) |
| Flu and Pneumonia (718.9) | Flu and Pneumonia (726.6) | Diabetes (622.9) |
| COVID-19 (599.1) | Heart Disease (695.1) | Mental and Behavioral Disorders (552.6) |
| Heart Disease (575.6) | COVID-19 (460.7) | Heart Disease (313.5) |
| Diabetes (315.1) | Diabetes (435.7) | COVID-19* (256.7) |
| Homicide (241.1) | Homicide (416.3) | Homicide (132.1) |

*2020 data only

# Leading Causes of Hospital ER Visits, Webster County, 2016-2020

| Cause | |
|---|---|
| Unintentional Injury | 5,106.10 |
| Bone and Muscle Diseases | 3,116.40 |
| Digestive System Diseases | 2,644.60 |
| Flu and Pneumonia | 919.2 |
| Chronic Lower Respiratory Diseases | 725.3 |
| Diabetes Mellitus | 622.9 |
| Mental and Behavioral Disorders | 552.6 |
| Heart Disease | 313.5 |
| COVID-19* | 256.7 |
| Homicide | 132.1 |

Age Adjusted ER Visit Rate per 100,000

## Emergency Room Visits by Health Issues, 2016-2020 (rate per 100,000)

| Georgia | West Central Health District | Webster County |
|---|---|---|
| Unintentional Injury (5,779.3) | Unintentional Injury (6,572.3) | Unintentional Injury (4,617.0) |
| Bone and Muscle Diseases (3,132.6) | Bone and Muscle Diseases (3,581.6) | Bone and Muscle Diseases (3,165.1) |
| Digestive System Diseases (2,352.3) | Digestive System Diseases (2,644.1) | Digestive System Diseases (2,450.6) |
| Mental and Behavioral Disorders (1,074.4) | Mental and Behavioral Disorders (1,176.7) | Flu and Pneumonia (737.5) |
| Chronic Lower Respiratory Diseases (902.4) | Chronic Lower Respiratory Diseases (1,145.9) | Chronic Lower Respiratory Diseases (706.8) |
| Flu and Pneumonia (697.1) | Heart Disease (725.2) | Mental and Behavioral Disorders (537.8) |
| COVID-19 (608.2) | Flu and Pneumonia (710.0) | Diabetes (514.7) |
| Heart Disease (603.2) | COVID-19 (485.8) | Heart Disease (368.7) |
| Diabetes (326.7) | Diabetes (448.6) | COVID-19* (231.2) |
| Homicide (236.3) | Homicide (404.7) | Homicide (115.2) |

*2020 data only

# Leading Causes of Hospital ER Visits, Webster County, 2016-2020



| Cause | ER Visit Rate per 100,000 |
|---|---|
| Unintentional Injury | 4,617.00 |
| Bone and Muscle Diseases | 3,165.10 |
| Digestive System Diseases | 2,450.60 |
| Flu and Pneumonia | 737.5 |
| Chronic Lower Respiratory Diseases | 706.8 |
| Mental and Behavioral Disorders | 537.80 |
| Diabetes | 514.7 |
| Heart Disease | 368.7 |
| COVID-19* | 231.2 |
| Homicide | 115.2 |

| **Top Ten\* Causes of Hospital ER Visits for Webster County, 2016-2020** | | | | | |
|---|---|---|---|---|---|
| | Georgia | | West Central Health District | | Webster County | |
| | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate |
| Unintentional Injury | 5,846.7 | 5,779.3 | 6,676.3 | 6,572.3 | 5,106.1 | 4,617.0 |
| Bone and Muscle Diseases | 3,096.9 | 3,132.6 | 3,561.2 | 3,581.6 | 3,116.4 | 3,165.1 |
| Digestive System Diseases | 2,376.9 | 2,352.3 | 2,660.6 | 2,644.1 | 2,644.6 | 2,450.6 |
| Chronic Lower Respiratory Diseases | 891.5 | 902.4 | 1,123.3 | 1,145.9 | 725.3 | 706.8 |
| Flu and Pneumonia | 718.9 | 697.1 | 726.6 | 710.0 | 919.2 | 737.5 |
| Mental and Behavioral Disorders | 1,079.7 | 1,074.4 | 1,135.5 | 1,176.7 | 552.6 | 537.8 |
| COVID-19\* | 599.1 | 608.2 | 460.7 | 471.7 | 256.7 | 231.2 |
| Heart Disease | 575.6 | 603.2 | 695.1 | 725.2 | 313.5 | 368.7 |
| Diabetes | 315.1 | 326.7 | 435.7 | 448.6 | 622.9 | 514.7 |
| Homicide | 241.1 | 236.3 | 416.3 | 404.7 | 132.1 | 115.2 |

\*2020 data only

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

# Leading Causes of ER Visits by Sex and Race, Webster County, 2016-2020

| Unintentional Injury | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate |
| | Total 5,823.4 | Total 5,756.1 | Total 6,695.8 | Total 6,572.8 | Total 5,224.0 | Total 4,665.3 |
| | Male 5,810.8 Female 5,792.4 | Male 5,718.4 Female 5,791.7 | Male 6,551.9 Female 6,805.3 | Male 6,407.0 Female 6,736.5 | Male 5,214.9 Female 5,230.8 | Male 4,487.8 Female 4,841.2 |
| | White 5,214.4 Male 5,181.0 Female 5,206.4 | White 5,189.1 Male 5,065.6 Female 5,310.6 | White 5,450.1 Male 5,301.3 Female 5,577.9 | White 5,433.6 Male 5,124.3 Female 5,757.6 | White 4,672.7 Male 4,795.4 Female 4,555.4 | White 4,097.0 Male 4,139.9 Female 4,054.4 |
| | Black 6,787.7 Male 6,911.9 Female 6,628.9 | Black 6,814.1 Male 7,010.7 Female 6,641.4 | Black 7,937.8 Male 7,900.7 Female 7,920.6 | Black 7,873.2 Male 7,968.9 Female 7,785.0 | Black 5,913.9 Male 5,764.1 Female 6,077.2 | Black 5,407.9 Male 4,943.2 Female 5,867.4 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Unintentional Injury Hospital ER Visit Rates, Webster County, by Race and Sex, 2016-2020

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

# ER Visit Rate per 100,000 by Type of Unintentional Injury, Webster County, 2016-2020

| Type of Unintentional Injury | ER Visit Rate |
|---|---|
| All Other Unintentional Injury | 2,005.10 |
| Falls | 1,659.40 |
| Motor Vehicle Crashes | 845 |
| Poisoning | 76.8 |
| Suffocation | 0 |
| Drowning | 0 |
| Accidental Shooting* | |
| Fire and Smoke Exposure* | |

**ER Visit Rate**

Rates that have less than 5 events have been indicated with an *

# Leading Causes of ER Visits by Sex and Race, Webster County, 2016-2020

| Bone and Muscle Diseases | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate |
| | Total 3,138.5 | Total 3,189.2 | Total 3,592.0 | Total 3,631.3 | Total 3,177.9 | Total 3,228.6 |
| | Male 2,716.3 Female 3,530.6 | Male 2,746.8 Female 3,607.9 | Male 2,937.6 Female 4,246.6 | Male 2,953.9 Female 4,299.7 | Male 2,324.8 Female 4,032.7 | Male 2,458.0 Female 3,992.5 |
| | White 2,094.4 Male 1,789.1 Female 2,384.5 | White 2,152.2 Male 1,839.1 Female 2,460.6 | White 2,016.7 Male 1,666.5 Female 2,396.9 | White 2,091.1 Male 1,707.9 Female 2,492.5 | White 1,904.2 Male 1,490.1 Female 2,345.4 | White 1,741.9 Male 1,482.5 Female 1,999.4 |
| | Black 5,156.6 Male 4,666.1 Female 5,565.6 | Black 5,124.3 Male 4,543.7 Female 5,634.4 | Black 5,433.3 Male 4,552.5 Female 6,226.7 | Black 5,389.3 Male 4,471.1 Female 6,235.7 | Black 4,818.5 Male 3,450.6 Female 6,191.1 | Black 5,171.2 Male 3,734.9 Female 6,591.8 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

Bone and Muscle Diseases Hospital ER Visit Rates, Webster County, by Race and Sex, 2016-2020

# Leading Causes of ER Visits by Sex and Race, Webster County, 2016-2020

| Digestive System Diseases | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate |
| | Total 2,384.1 | Total 2,358.9 | Total 2,673.6 | Total 2,658.9 | Total 2,651.6 | Total 2,447.1 |
| | Male 2,125.7 Female 2,634.7 | Male 2,101.1 Female 2,602.8 | Male 2,229.2 Female 3,148.3 | Male 2,224.4 Female 3,087.6 | Male 1,946.1 Female 3,340.3 | Male 1,902.9 Female 2,986.5 |
| | White 1,891.1 Male 1,655.9 Female 2,132.5 | White 1,875.4 Male 1,643.4 Female 2,103.8 | White 1,760.0 Male 1,439.8 Female 2,133.9 | White 1,780.0 Male 1,457.8 Female 2,117.5 | White 1,656.6 Male 1,402.0 Female 1,892.2 | White 1,519.0 Male 1,258.7 Female 1,777.3 |
| | Black 3,272.4 Male 3,042.8 Female 3,478.1 | Black 3,261.1 Male 3,007.2 Female 3,484.1 | Black 3,696.6 Male 3,193.7 Female 4,182.9 | Black 3,662.1 Male 3,157.8 Female 4,126.9 | Black 3,987.4 Male 2,732.3 Female 5,200.0 | Black 3,659.9 Male 2,746.2 Female 4,563.6 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

Digestive System Diseases Hospital ER Visit Rates, Webster County, by Race and Sex, 2016-2020

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

# Leading Causes of ER Visits by Sex and Race, Webster County, 2016-2020

| Chronic Lower Respiratory Diseases | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate |
| | Total 904.4 | Total 917.1 | Total 1,141.0 | Total 1,165.0 | Total 744.6 | Total 718.3 |
| | Male 828.4 Female 973.6 | Male 834.5 Female 995.2 | Male 1,014.2 Female 1,271.9 | Male 1,018.8 Female 1,309.2 | Male 694.8 Female 797.6 | Male 713.6 Female 723.0 |
| | White 591.2 Male 493.4 Female 689.7 | White 628.7 Male 517.4 Female 738.2 | White 631.8 Male 506.5 Female 774.2 | White 700.1 Male 544.2 Female 863.5 | White 452.9 Male 372.5 Female 552.6 | White 432.0 Male 335.7 Female 527.6 |
| | Black 1,451.7 Male 1,451.5 Female 1,441.4 | Black 1,455.3 Male 1,462.3 Female 1,449.2 | Black 1,682.2 Male 1,585.0 Female 1,768.3 | Black 1,695.6 Male 1,596.8 Female 1,786.7 | Black 1,160.8 Male 1,187.0 Female 1,084.1 | Black 1,092.5 Male 1,208.3 Female 977.9 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

Chronic Lower Respiratory Diseases Hospital ER Visit Rates, Webster County, by Race and Sex, 2016-2020

ER Visit Rate per 100,000

White · White Male · White Female · Black · Black Male · Black Female

# Leading Causes of ER Visits by Sex and Race, Webster County, 2016-2020

| Flu and Pneumonia | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate |
| | Total 708.5 | Total 682.1 | Total 727.7 | Total 706.6 | Total 941.9 | Total 742.0 |
| | Male 659.4 Female 756.3 | Male 639.9 Female 722.1 | Male 640.8 Female 821.4 | Male 620.6 Female 791.3 | Male 952.0 Female 935.1 | Male 729.5 Female 754.5 |
| | White 525.8 Male 491.4 Female 561.6 | White 503.3 Male 470.0 Female 536.2 | White 423.2 Male 369.1 Female 485.9 | White 419.7 Male 360.4 Female 481.7 | White 349.0 Male 313.7 Female 391.5 | White 292.6 Male 251.7 Female 333.2 |
| | Black 1,017.9 Male 958.5 Female 1,070.3 | Black 1,015.8 Male 976.1 Female 1,050.6 | Black 1,044.3 Male 937.5 Female 1,150.2 | Black 1,034.0 Male 937.5 Female 1,123.0 | Black 1,634.2 Male 1,651.4 Female 1,664.7 | Black 1,329.2 Male 1,354.8 Female 1,303.9 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Flu and Pneumonia Hospital ER Visit Rates, Webster County, by Race and Sex, 2016-2020

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

## Leading Causes of ER Visits by Sex and Race, Webster County, 2016-2020

| Mental and Behavioral Disorders | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate |
| | Total 1,084.2 | Total 1,079.3 | Total 1,193.5 | Total 1,187.1 | Total 546.4 | Total 513.1 |
| | Male 1,168.7 Female 1,004.1 | Male 1,170.7 Female 992.8 | Male 1,209.3 Female 1,186.6 | Male 1,217.4 Female 1,157.2 | Male 387.9 Female 700.8 | Male 412.3 Female 613.0 |
| | White 946.1 Male 968.5 Female 922.8 | White 932.0 Male 964.1 Female 900.3 | White 1,037.4 Male 1,020.6 Female 1,067.8 | White 1,027.1 Male 1,025.4 Female 1,028.8 | White 481.1 Male 430.9 Female 528.5 | White 432.0 Male 419.6 Female 444.3 |
| | Black 1,335.7 Male 1,570.4 Female 1,140.1 | Black 1,354.2 Male 1,579.8 Female 1,156.0 | Black 1,371.6 Male 1,445.2 Female 1,311.0 | Black 1,369.8 Male 1,451.2 Female 1,294.9 | Black 618.1 Male 357.0 Female 867.2 | Black 619.1 Male 402.8 Female 833.0 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

# Mental and Behavioral Disorders Hospital ER Visit Rates, Webster County, by Race and Sex, 2016-2020



ER Visit Rate per 100,000

Legend: White, White Male, White Female, Black, Black Male, Black Female

# Leading Causes of ER Visits by Sex and Race, Webster County, 2016-2020

| COVID-19* | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate |
| | Total 570.8 | Total 583.8 | Total 463.8 | Total 478.6 | Total 260.9 | Total 237.7 |
| | Male 497.3 Female 643.6 | Male 506.1 Female 657.2 | Male 376.4 Female 558.3 | Male 387.3 Female 568.6 | Male * Female * | Male * Female * |
| | White 416.7 Male 375.8 Female 460.5 | White 444.2 Male 401.6 Female 486.0 | White 288.2 Male 260.9 Female 325.3 | White 322.9 Male 285.3 Female 362.1 | White * Male 0.0 Female * | White * Male 0.0 Female * |
| | Black 837.7 Male 725.1 Female 938.2 | Black 838.4 Male 708.2 Female 952.6 | Black 661.9 Male 518.7 Female 797.5 | Black 655.9 Male 511.1 Female 789.2 | Black 505.6 Male * Female * | Black 453.7 Male * Female * |

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/
*2020 data only

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
Numbers highlighted in **Blue** indicate rates <10% compared to Georgia
Rates that have less than 5 events have been indicated with an *

# Leading Causes of ER Visits by Sex and Race, Webster County, 2016-2020

| Heart Disease | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate |
| | Total 525.9 | Total 560.3 | Total 697.6 | Total 737.7 | Total 318.4 | Total 378.9 |
| | Male 527.5 Female 522.7 | Male 544.1 Female 575.6 | Male 695.4 Female 698.3 | Male 703.6 Female 770.3 | Male 277.7 Female 367.2 | Male 317.2 Female 440.1 |
| | White 350.0 Male 371.0 Female 328.2 | White 406.8 Male 414.8 Female 398.9 | White 348.2 Male 370.0 Female 322.9 | White 421.5 Male 414.8 Female 428.6 | White 140.2 Male 170.2 Female 109.5 | White 223.0 Male 251.7 Female 194.4 |
| | Black 889.2 Male 881.7 Female 890.9 | Black 846.7 Male 800.0 Female 887.8 | Black 1,121.7 Male 1,124.9 Female 1,117.0 | Black 1,098.6 Male 1,057.5 Female 1,136.4 | Black 587.1 Male 426.9 Female 791.4 | Black 582.7 Male 402.8 Female 760.6 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Heart Disease Hospital ER Visit Rates, Webster County, by Race and Sex, 2016-2020

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

# Leading Causes of ER Visits by Sex and Race, Webster County, 2016-2020

| Diabetes | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate |
| | Total 313.4 | Total 327.9 | Total 438.4 | Total 456.0 | Total 636.1 | Total 528.9 |
| | Male 304.7 Female 322.6 | Male 312.2 Female 342.7 | Male 379.4 Female 500.0 | Male 387.1 Female 523.9 | Male 390.1 Female 920.3 | Male 301.3 Female 754.5 |
| | White 192.8 Male 191.8 Female 195.2 | White 208.4 Male 204.9 Female 211.9 | White 219.2 Male 200.7 Female 244.3 | White 241.2 Male 222.8 Female 260.4 | White 105.1 Male * Female * | White 97.5 Male * Female * |
| | Black 567.2 Male 567.4 Female 569.0 | Black 550.7 Male 524.7 Female 573.6 | Black 706.1 Male 615.4 Female 788.2 | Black 701.2 Male 587.3 Female 806.1 | Black 1,349.6 Male 752.2 Female 2,000.9 | Black 1,092.5 Male 585.9 Female 1,593.6 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Rates that have less than 5 events have been indicated with an *

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

# Leading Causes of ER Visits by Sex and Race, Webster County, 2016-2020

| Homicide | Georgia | | WCHD | | Webster County | |
|---|---|---|---|---|---|---|
| | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate | Age-Adjusted ER Visit Rate | ER Visit Rate |
| | Total 241.7 | Total 235.8 | Total 343.1 | Total 332.9 | Total 138.3 | Total 118.4 |
| | Male 268.8 Female 215.9 | Male 267.8 Female 205.4 | Male 382.9 Female 305.3 | Male 386.3 Female 280.1 | Male 122.3 Female 155.3 | Male 111.0 Female 125.7 |
| | White 139.1 Male 149.3 Female 128.7 | White 131.7 Male 145.2 Female 118.4 | White 195.3 Male 218.8 Female 170.9 | White 184.6 Male 218.2 Female 149.4 | White * Male * Female * | White * Male * Female * |
| | Black 414.8 Male 491.1 Female 351.1 | Black 430.0 Male 510.7 Female 359.1 | Black 499.3 Male 575.2 Female 431.0 | Black 502.1 Male 591.1 Female 420.0 | Black 256.8 Male 231.5 Female 280.5 | Black 236.7 Male 219.7 Female 253.5 |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia

Numbers highlighted in **Blue** indicate rates <10% compared to Georgia

Rates that have less than 5 events have been indicated with an *

# Sexually Transmitted Infections

# Sexually Transmitted Infections

| Age-Adjusted STD Rate per 100,000, 2016-2020 | | | |
|---|---|---|---|
| | **Georgia** | **WCHD** | **Webster** |
| Chlamydia | 615.2 | 749.0 | 720.6 |
| Gonorrhea | 208.4 | 269.4 | 127.8 |
| Syphilis | 48.3 | 24.2 | * |

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

Chlamydia Incidence Rate, Webster County, 2016-2020

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

# Notifiable Disease Reporting

# Maternal and Child Health

# Maternal Characteristics, Webster County, 2016-2020

| | | All Races | | | White | | | Black | | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Pregnancy Rate** | | Georgia | WCHD | County | Georgia | WCHD | County | Georgia | WCHD | County |
| | All Ages | 48.8 | 53.1 | 41.4 | 42.6 | 46.5 | 34.7 | 56.0 | 58.6 | 51.1 |
| | < 20 years old | 14.3 | 19.8 | 18.6 | 11.4 | 12.2 | 11.6 | 19.2 | 27.3 | 30.1 |
| | 20-39 years old | 100.5 | 105.8 | 104.3 | 90.7 | 96.8 | 88.8 | 110.4 | 112.2 | 123.9 |
| | >39 years old | 4.8 | 3.1 | * | 3.8 | 3.0 | 0.0 | 5.5 | 3.1 | * |
| | | **All Races** | | | **White** | | | **Black** | | |
| **Birth Rate** | | Georgia | WCHD | County | Georgia | WCHD | County | Georgia | WCHD | County |
| | All Ages | 38.2 | 42.9 | 35.5 | 37.9 | 42.4 | 33.6 | 38.6 | 43.2 | 39.2 |
| | < 20 years old | 10.5 | 15.5 | 17.5 | 9.6 | 10.3 | * | 12.9 | 21.0 | 30.1 |
| | 20-39 years old | 79.2 | 85.8 | 88.9 | 81.2 | 88.8 | 87.3 | 76.4 | 82.5 | 91.6 |
| | >39 years old | 3.4 | 2.4 | * | 3.1 | 2.6 | 0.0 | 3.6 | 2.0 | * |
| | | **All Races** | | | **White** | | | **Black** | | |
| **Induced Termination** | | Georgia | WCHD | County | Georgia | WCHD | County | Georgia | WCHD | County |
| | All Ages | 8.9 | 9.0 | 3.7 | 3.3 | 3.5 | 0.0 | 15.3 | 13.5 | 8.1 |
| | < 20 years old | 3.3 | 3.7 | * | 1.4 | 1.6 | 0.0 | 5.6 | 5.6 | * |
| | 20-39 years old | 17.9 | 17.6 | 8.9 | 6.7 | 6.9 | 0.0 | 30.1 | 26.2 | 19.7 |
| | >39 years old | 0.9 | 0.6 | * | 0.4 | 0.3 | 0.0 | 1.3 | 0.8 | * |

Note: Numbers highlighted in **Yellow** indicate rates >10% compared to Georgia
Numbers highlighted in **Blue** indicate rates <10% compared to Georgia
Rates that have less than 5 events have been indicated with an *
Rates per 1,000

Source: Georgia Department of Public Health, Office of Health Indicators for Planning (OHIP), OASIS Dashboard. http://oasis.state.ga.us/

# Delivery Characteristics, Webster County, 2016-2020

| Percent Premature (%) | | **All Races** | | | **White** | | | **Black** | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Maternal Age | Georgia | WCHD | County | Georgia | WCHD | County | Georgia | WCHD | County |
| | All Ages | 11.4 | 13.2 | 13.5 | 9.9 | 11.0 | 9.8 | 14.2 | 15.8 | 17.5 |
| | < 20 years old | 11.3 | 13.1 | * | 10.4 | 11.5 | 0.0 | 12.6 | 13.5 | * |
| | 20-39 years old | 11.2 | 13.0 | 11.8 | 9.7 | 10.7 | 10.5 | 14.2 | 15.8 | 13.7 |
| | >39 years old | 16.6 | 25.3 | 0.0 | 14.9 | 23.1 | 0.0 | 19.8 | 27.6 | 0.0 |

| Percent Low Birthweight (%) | | **All Races** | | | **White** | | | **Black** | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Maternal Age | Georgia | WCHD | County | Georgia | WCHD | County | Georgia | WCHD | County |
| | All Ages | 9.9 | 11.8 | 12.7 | 7.2 | 7.6 | 8.2 | 14.3 | 16.1 | 17.5 |
| | < 20 years old | 11.7 | 13.8 | * | 8.9 | 9.8 | 0.0 | 15.0 | 15.5 | * |
| | 20-39 years old | 9.7 | 11.5 | 10.9 | 7.0 | 7.4 | 8.8 | 14.2 | 16.1 | 13.7 |
| | >39 years old | 13.0 | 18.8 | 0.0 | 10.3 | 15.3 | 0.0 | 17.4 | 22.4 | 0.0 |

| Percent Very Low Birthweight (%) | | **All Races** | | | **White** | | | **Black** | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Maternal Age | Georgia | WCHD | County | Georgia | WCHD | County | Georgia | WCHD | County |
| | All Ages | 1.8 | 2.6 | * | 1.1 | 1.3 | 0.0 | 3.0 | 3.4 | * |
| | < 20 years old | 2.0 | 2.7 | 0.0 | 1.5 | 2.3 | 0.0 | 2.6 | 3.0 | 0.0 |
| | 20-39 years old | 1.8 | 2.3 | * | 1.1 | 1.3 | 0.0 | 3.0 | 3.5 | * |
| | >39 years old | 2.5 | 2.6 | 0.0 | 1.5 | 2.2 | 0.0 | 4.0 | * | 0.0 |

Note: Numbers highlighted in Yellow indicate rates >10% compared to Georgia
Numbers highlighted in Blue indicate rates <10% compared to Georgia
Rates that have less than 5 events have been indicated with an *
Rates per 1,000

# Infant Mortality Rates, Webster County, 2016-2020

| | All Races | | | White | | | Black | | |
|---|---|---|---|---|---|---|---|---|---|
| | Georgia | WCHD | County | Georgia | WCHD | County | Georgia | WCHD | County |
| **Infant Mortality** | 7.0 | 9.7 | 0.0 | 5.0 | 5.5 | 0.0 | 11.0 | 14.5 | 0.0 |
| **Neonatal Mortality** | 4.6 | 6.5 | 0.0 | 3.2 | 3.9 | 0.0 | 7.2 | 9.8 | 0.0 |
| **Post Neonatal Mortality** | 2.4 | 3.2 | 0.0 | 1.7 | 1.7 | 0.0 | 3.8 | 4.8 | 0.0 |

Note: Numbers highlighted in Yellow indicate rates >10% compared to Georgia

Numbers highlighted in Blue indicate rates <10% compared to Georgia

Rates that have less than 5 events have been indicated with an *

# Appendix

# Appendix

## County Health Ranking Measures

**Premature Death**: Years of potential life lost before age 75 per 100,000 population (age-adjusted)
               Data Source: National Vital Statistics System, 2018-2020
               Weight in Health Outcomes: 50%

**Poor or Fair Health**: Percentage of adults reporting fair or poor health (age-adjusted)
               Data Source: Behavioral Risk Factor Surveillance System, 2019
               Weight in Health Outcomes: 10%

**Poor Physical Health Days**: Average number of physically unhealthy days reported in past 30 days (age-adjusted)
               Data Source: Behavioral Risk Factor Surveillance System, 2019
               Weight in Health Outcomes: 10%

**Poor Mental Health Days**: Average number of mentally unhealthy days reported in past 30 days (age-adjusted)
               Data Source: Behavioral Risk Factor Surveillance System, 2019
               Weight on Health Outcomes: 10%

**Adult Obesity**: Percentage of adults that report a BMI of 30 or more
               Data Source- CDC Diabetes Interactive Atlas, 2019
               Weight in Health Factors: 5%

**Physical Inactivity**: Percentage of adults age 20 and over reporting no leisure-time physical activity
               Data Source- CDC Diabetes Interactive Atlas, 2019
               Weight in Health Factors: 2%

**Adult Smoking**: Percentage of adults who are current smokers
               Data Source: Behavioral Risk Factor Surveillance System, 2019
               Weight in Health Factors: 10%

**Excessive Drinking**: Percentage of adults reporting binge or heavy drinking
               Data Source: Behavioral Risk Factor Surveillance System, 2019
               Weight in Health Factors: 2.5%

# Appendix

## County Health Ranking Measures (cont)

**Alcohol-Impaired Driving Deaths**: Percentage of driving deaths with alcohol involvement
>Data Source: Fatality Analysis Reporting System (FARS), 2016-2020
>Weight in Health Factors: 2.5%

**Food Environment Index**: Index of factors that contribute to a healthy food environment, 0 (worst)- 10 (best)
>Data Source: United States Department Of Agriculture (USDA) Food Environment Atlas, 2019
>Weight in Health Factors: 2%

**Access to Exercise Opportunities**: Percentage of population with adequate access to locations of physical activity
>Data Source: ArcGIS Business Analyst with data from DeLormeMap Mart and GIS public use data, 2010 & 2021
>Weight in Health Factors: 1%

**Uninsured**: Percentage of population under age 65 without health insurance
>Data Source: United States Census Bureau's Small Area Health Insurance Estimates (SAHIE), 2019
>Weight in Health Factors: 5%

**Primary Care Physicians**: Ratio of population to primary care physicians
>Data Source: Area Health Resource File, 2019
>Weight in Health Factors: 3%

**Mental Health Providers**: Ratio of population to mental health providers
>Data Source: Centers for Medicare and Medicaid Services', National Provider Identification, 2021
>Weight in Health Factors: 1%

**Dentists**: Ratio of population to dentists
>Data Source: Area Health Resource File, 2020
>Weight in Health Factors: 1%

# Appendix

## County Health Ranking Measures (cont)

**Air Pollution**: Average of daily density of fine particulate matter in micrograms per cubic meter (PM2.5)
   Data Source: Center for Disease Control and Prevention's National Environmental Public Health Tracking Network, 2018
   Weight in Health Factors: 2.5%

**Severe Housing Problems**: Percentage of households with at least 1 of the 4 housing problems: overcrowding, high housing costs, or lack of kitchen or
   plumbing facilities
   Data Source: United States Department of Housing and Urban Development's Comprehensive Housing Affordability Strategy
   Data, 2014-2018
   Weight in Health Factor: 2%

# Appendix

## Oasis Definitions

**Age-Adjusted Rates**

A weighted average of the age-specific discharge rates, where the weights are the proportions of persons in the corresponding age groups of a standard population. The calculation of an Age-Adjusted Rate uses the year 2000 U.S. standard million. Benefit: Controls for differences in age structure so that observed differences in rates across areas such as counties are not due solely to differences in the proportion of people in different age groups in different areas. Rates that use Census Population Estimates in the denominator are unable to be calculated when the selected population is Unknown.

**Death Rate**

Formula = [Number of Deaths / Population] * 100,000. Rates that use Census Population Estimates in the denominator are unable to be calculated when the selected population is Unknown.

**Deduplicated Discharges**

The number of persons discharged live from non-Federal acute-care inpatient facilities (Hospitals) for illness. Only discharges of Georgia residents who were seen in a Georgia facility are included. Persons are counted only once if readmitted for the same chronic condition during a calendar year. Deduplicated Discharges also excludes people discharged dead, healthy newborn infants, and healthy mothers giving birth to newborn infants. Since the number and rate are derived only from hospitalizations, they do not include all existing cases (prevalence) or new cases (incidence) among residents of Georgia.

**Deduplicated Discharge Rate**

Formula = [Number of Deduplicated Discharges / Population] * 100,000. Rates that use Census Population Estimates in the denominator are unable to be calculated when the selected population is Unknown.

**Emergency Room Visits (ER Visits)**

The number of emergency room visits to non-Federal acute care inpatient facilities. Only discharges of Georgia residents who were seen in a Georgia facility are included. Persons can be counted more than once if readmitted. Visits include people both living and who have died, but not those admitted as an inpatient to a hospital.

**Emergency Room Visit (ER Visit) Rate**

Formula = [Number of ER Visits / Population] * 100,000.

# Appendix

## Oasis Definitions

**Induced Termination of Pregnancy (ITOP)**

The purposeful interruption of pregnancy with the intention other than to: 1) produce a live-born infant; or 2) to remove a dead fetus. An induced termination of pregnancy does not result in a live birth.

**Induced Termination of Pregnancy (ITOP) Rate**

The number of induced terminations of pregnancy that occur per 1,000 females per specified age group. All ages includes ages10-55.

**Infant Mortality Rate**

Formula = [Number of infant deaths / Live births] * 1,000.

**International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)**

A statistical classification system, in use since 1979, that arranges diseases and Injury into groups according to established criteria. It is used to improve comparability of cause of death statistics reported by different governmental entities. Most ICD-9-CM codes are numeric and consist of three, four or five numbers and a description. The codes are revised approximately every 10 years by the World Health Organization and annual updates are published by the Health Care Financing Administration (HCFA), now the Center for Medicare, Medicaid Services.

**International Classification of Diseases, 10th Revision, Clinical Modification (ICD-10-CM) vs. ICD10**

The National Center for Health Statistics (NCHS), the Federal agency responsible for use of the International Statistical Classification of Diseases and Related Health Problems, 10th revision (ICD-10) in the United States, has developed a clinical modification (CM)of the classification for morbidity (hospital and ER data) purposes. The ICD-10 is used to code and classify mortality data from death certificates, having replaced ICD-9 for this purpose as of January 1, 1999. ICD-10-CM is the replacement for ICD-9-CM, effectiveOctober 1, 2015 in discharge and ER data.

The ICD-10 is copyrighted by the World Health Organization (WHO). WHO has authorized the development of an adaptation of ICD-10 for use in the United States (ICD-10-CM). All modifications to the ICD-10 must conform to WHO conventions for the ICD. https://www.cdc.gov/nchs/icd/icd10cm.htm

# Appendix

## Oasis Definitions

**Low Birthweight Births**

   Live births of a birthweight less than 2500 grams (5lbs. 8oz.) per 100 live births

**Neonatal Period**

   The period from birth to 27 days of age.

**Pregnancy**

   A pregnancy is a human conception that results in a live birth, fetal death or an induced termination of pregnancy. The total number of conceptions that result in one or more live births, fetal deaths (of all gestational ages), or induced terminations of pregnancy are used to sum the total number of pregnancies. Therefore, Ectopic and Molar pregnancies are not included, and conceptions that result in multiple births (twins, triplets, etc.) are counted as one pregnancy.

**Premature Live Births**

   The number of live births with a gestational age less than 37 weeks, per 100 live births. Gestational age is expressed in completed weeks.

**Postneonatal Period**

   The period after birth 28 through 364 days of age.

**Race**

   Per the Federal Office of Management and Budget, Directive 15 (1997),

   White is a person having origins in any of the original peoples of Europe, the Middle East or North Africa;
   Black or African-American is a person having origins in any of the black racial groups of Africa;
   Multiracial is a person declaring 2 or more races.

In some cases, the numerator's race classification may be more precise, or up to date, than the Census population estimate counterpart used in the denominator.

# Appendix

## Oasis Definitions

**Very Low Birthweight Births**

Live births with a birthweight less than 1,500 grams (3lbs. 5oz.)

**Years of Potential Life Lost 75 (YPLL 75)**

YPLL 75 represents the number of years of potential life lost due to death before age 75, as a measure of premature death. The YPLL 75 Rate is the years of potential life lost before age 75 that occur per 100,000 population less than 75 years of age. Formula =[Total Years of Life Lost before age 75 / Population less than 75 years old] * 100,000.

# Appendix

## Oasis Detailed Cause Definitions

**Bone and Muscle Diseases**

Diseases of the musculoskeletal system and connective tissue. 13% are due to osteomyelitis, unspecified. 10% are due to systemic lupus erythematosus (SLE) with organ or system involvement. 9% are due to rheumatoid arthritis, unspecified.

**Cancers**

The uncontrolled growth of abnormal cells which have mutated from normal tissues. Cancer can kill when these cells prevent normal function of affected vital organs or spread throughout the body to damage other key systems. Cancers included are oral cancer, throat cancer, stomach cancer, colon cancer, liver cancer, pancreatic cancer, lung cancer, skin cancer, breast cancer, cervical cancer, uterine cancer, ovarian cancer, prostate cancer, testicular cancer, bladder cancer, kidney cancer, brain cancer, lymph cancer (Hodgkin's Disease), and leukemia.

**Chronic Lower Respiratory Diseases**

Diseases related to the process or organs involved in breathing. Diseases included are bronchitis, emphysema, asthma, and all other chronic lower respiratory diseases. Of all other chronic lower respiratory diseases, 86% are due to chronic obstructive pulmonary disease (COPD), unspecified.

**Digestive System Diseases**

Includes diseases associated with the organs necessary for the digestion of food. Diseases included are alcoholic liver disease and all other chronic liver disease and cirrhosis. Of all other chronic liver disease and cirrhosis, 98% are due to other and unspecified cirrhosis of the liver.

**Fetal and Infant Conditions**

Conditions to the fetus/child associated with the period of time near birth. Conditions included are prematurity, lack of oxygen to the fetus, respiratory distress syndrome, and birth-related infections. Of birth-related infections, 69% are due to bacterial sepsis of newborn, unspecified.

**Heart Disease**

Diseases related to the major parts of the circulatory system. Diseases included are high blood pressure (hypertension), rheumatic fever and heart diseases, hypertensive heart disease, obstructive heart diseases (ischemic heart diseases, includes heart attack), hardening of the arteries, and aortic aneurysm and dissection.

# Appendix

## Oasis Detailed Cause Definitions

**Mental and Behavioral Disorders**

Any of a series of mental and behavioral disorders, which may be developmental or brought on by external factors. Disorders included are those related to drug use and all other mental and behavioral disorders. Of all other mental and behavioral disorders, 86% are due to unspecified dementia and 10% are due to vascular dementia, unspecified.

**Nervous System Diseases**

Includes diseases of the central and peripheral nervous systems, including degenerative conditions of the nervous systems. Diseases included are Alzheimer's Disease, Parkinson's Disease, and all other diseases of the nervous system. Of all other diseases of the nervous system, 38% are due to senile degeneration of brain, not elsewhere classified.

**Reproductive and Urinary System Diseases**

Diseases relating to the organs of reproduction and urination. Diseases included are kidney diseases, kidney infections, and all other diseases of the genitourinary system. Of all other diseases of the genitourinary system, 51% are due to urinary tract infection, site not specified.

**Unintentional Injury**

All causes that affect the human body that originate from an external source. Causes included are motor vehicle crashes, falls, accidental shooting, drowning, fire and smoke exposure, poisoning, and all other unintentional injury. Of all other unintentional injury, 28% are due to exposure to unspecified factor and unspecified place. 16% are due to exposure to unspecified factor at home.

# Acknowledgements

Mehar Anand, MPHc 2023

Victoria 'Tori' Roy, MPH
North Georgia Health District 1-2
Fellow, Rollins COVID-19 Epidemiology Fellowship

Rollins School of Public, Department of Epidemiology